
PARTS LIST

トーハツ船外機
パーツ　リスト



TOHATSU

M 40D2
50D2

OB NO.002-21038-6
0607 M 1,000

パーツリストのご使用について

1．このパーツリストは、トーハツ船外機を構成している部品を収録したものです。

2．部品の新設、廃止または、変更が生じた場合は、インフォメーション等にてお知らせ致しますので、その都度ご訂正下さい。

3．アッセンブリまたは、キットでの販売部品は、その構成する部品の頭に（＊）印をつけて表しています。

4．本文中に記載されている記号は、次の様になっています。

STD	：	スタンダード	E	：	セルスタータタイプ
OPT	：	オプション	F	：	ティラハンドルタイプ
O/S	：	オーバーサイズ	P	：	プレジャータイプ
Ass’y	：	アッセンブリ	O	：	オートミキシング
AR	：	必要に応じて選択	PTT	：	パワートリム＆チルト

5．オーダー上の注意

塗装部品の注文に当たっては、以下に従ってください。

パーツナンバーの４桁目が "B" ・"Q" ・ "S"・ "W" 記号のものは塗装されています。

現在の塗装色はパワーヘッドがブラック(B)、ロワユニットがアクアマリンブルー(Q)、プロペラがホワイト(W)です。

※ロワユニットの旧塗装色は（Ｓ）シルバーグレーです。

例示－1　：　パワーヘッド部品

３Ｅ３Ｂ０１１００－２

↓

B：ブラック

例示－2　：　ロワユニット部品

３Ｃ８Ｑ６１１９１－１

↓

Q：アクアマリンブルー

6．備考欄にオールドパーツＮＯ．が記されている部品は、パーツＮＯ．が変更された部品ですが、部品に変更はありません。

7．備考欄に "UNIQUE" もしくは "N.A.F.N" と記されている部品がありますが、特に関係ありません。

HOW TO USE THIS PARTS LIST

1. This Parts List contains the component parts of the Tohatsu outboard motors.

2. Please keep the Parts List updated each time when receiving the Service Bulletin describing the addition, abolition and/or change of parts

3. Given mark in (*) to part number shows assembly or kit part.

4. Marks in this Parts List show:

STD	:	Standard	M	:	Manual Starter Type
OPT	:	Optional Parts	E	:	Electric Starter Type
O/S	:	Over size	F	:	Tiller Handle Type
Ass'y	:	Assembly	P	:	Pleasure Type
AR	:	As required	PTT	:	Power Trim & Tilt Type

5. Attention to order
   1) Please order painted parts in accordance with following. The parts that fourth figure of the parts number is "B" , "Q" , "S" or "W" have painted.

[Example]

POWER HEAD PARTS
3E3B01100-2
↓
B : Black

PROPELLER
3T5W64523-0
↓
W : White

LOWER UNIT PARTS
3C8Q61191-1
↓
Q : Aquamarine Blue
(present color)

3C8S61191-1
↓
S : Silver gray
(old color)

6. Old part numbers written in the Remarks column mean that only part numbers were changed.

7. You don't care that the "UNIQUE" or "N.A.F.N" parts written in the Remarks column.

目　次
CONTENTS

Fig. 1	ｼﾘﾝﾀﾞｰ・ｸﾗﾝｸｹｰｽ CYLINDER・CRANK CASE	1
Fig. 2	ﾋﾟｽﾄﾝ・ｸﾗﾝｸｼｬﾌﾄ PISTON・CRANK SHAFT	5
Fig. 3	ｲﾝﾚｯﾄ・ﾘｰﾄﾞﾊﾞﾙﾌﾞ INLET・REED VALVE	7
Fig. 4	ｲﾝﾃｰｸｻｲﾚﾝｻ (ｴｱｻｲﾚﾝｻ) INTAKE SILENCER (AIR SILENCER)	9
Fig. 5	ｷｬﾌﾞﾚﾀ CARBURETOR	11
Fig. 6	ﾌｭｴﾙﾗｲﾝ FUEL LINE	15
Fig. 7	ｽﾛｯﾄﾙ THROTTLE	17
Fig. 8	ﾃｨﾗﾊﾝﾄﾞﾙ (F ﾀｲﾌﾟ) TILLER HANDLE (F Type)	19
Fig. 9	ﾘｺｲﾙｽﾀｰﾀ (F ﾀｲﾌﾟ) RECOIL STARTER (F Type)	23
Fig. 10	ﾏｸﾞﾈﾄ MAGNETO	27
Fig. 11	ｴﾚｸﾄﾘｯｸﾊﾟｰﾂ (C. D. ﾕﾆｯﾄ) ELECTRIC PARTS (C. D. UNIT)	29
Fig. 12	ｴﾚｸﾄﾘｯｸﾊﾟｰﾂ (ｽﾀｰﾀﾓｰﾀ) ELECTRIC PARTS (STARTER MOTOR)	31
Fig. 13	ｴﾚｸﾄﾘｯｸﾊﾟｰﾂ (ﾀﾞｲｱｸﾞﾗﾑ) ELECTRIC PARTS (DIAGRAM)	35
Fig. 14	ｵｲﾙﾎﾟﾝﾌﾟ (ｵｰﾄﾐｷｼﾝｸﾞ) OIL PUMP (AUTO MIXING)	37
Fig. 15	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾝｸﾞ DRIVE SHAFT HOUSING	41
Fig. 16	ｷﾞﾔｹｰｽ (ﾄﾞﾗｲﾌﾞｼｬﾌﾄ) GEAR CASE (DRIVE SHAFT)	43
Fig. 17	ｷﾞﾔｹｰｽ (ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ) GEAR CASE (PROPELLER SHAFT)	47
Fig. 18	ｼﾌﾄ SHIFT	51
Fig. 19	ﾌﾞﾗｹｯﾄ (1) ﾏﾆｭｱﾙﾁﾙﾄ BRACKET (1) MANUAL TILT	53
Fig. 20	ﾌﾞﾗｹｯﾄ (2) ﾊﾟﾜｰﾄﾘﾑ & ﾁﾙﾄ (新) BRACKET (2) POWER TRIM & TILT (New)	57

Fig. 21	ﾏﾆｭｱﾙﾁﾙﾄ (M ﾀｲﾌﾟ) MANUAL TILT (M Type)	63
Fig. 22	ﾊﾟﾜｰﾄﾘﾑ & ﾁﾙﾄ (新) POWER TRIM & TILT (New)	65
Fig. 23	ﾎﾞﾄﾑｶｳﾙ (ﾓｰﾀｰｶﾊﾞｰﾛﾜ) BOTTOM COWL (MOTOR COVER LOWER)	67
Fig. 24	ﾄｯﾌﾟｶｳﾙ (ﾓｰﾀｰｶﾊﾞｰｱｯﾊﾟ) TOP COWL (MOTOR COVER UPPER)	71
Fig. 25	ｾﾊﾟﾚｰﾄﾌｭｴﾙﾀﾝｸ SEPARATE FUEL TANK	73
Fig. 26	ｱｸｾｻﾘｰ ACCESSORIES	75
Fig. 27	ｵﾌﾟｼｮﾅﾙﾊﾟｰﾂ (1) OPTIONAL PARTS (1)	79
Fig. 28	ｵﾌﾟｼｮﾅﾙﾊﾟｰﾂ (2) OPTIONAL PARTS (2)	85
Fig. 29	ｵﾌﾟｼｮﾅﾙﾊﾟｰﾂ (3) OPTIONAL PARTS (3)	87
Fig. 30	ｵﾌﾟｼｮﾅﾙﾊﾟｰﾂ (4) OPTIONAL PARTS (4)	89
Fig. 31	ｱｯｾﾝﾌﾞﾘ･ｷｯﾄ ASSEMBLY･ KIT	91

W50D2

Fig.1	ｷﾞﾔｹｰｽ (ﾄﾞﾗｲﾌﾞｼｬﾌﾄ) GEAR CASE (DRIVE SHAFT)	1
Fig. 2	ｷﾞﾔｹｰｽ (ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ) GEAR CASE (PROPELLER SHAFT)	5
Fig. 3	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾝｸﾞ DRIVE SHAFT HOUSING	9

シリンダ・クランクケース

Fig. 1 CYLINDER・CRANK CASE




Fig. 23-1

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
1-1	3E3B01100-2	ｼﾘﾝﾀﾞｰ･ｸﾗﾝｸｹｰｽ Cylinder-Crank Case	1	-		50D2 # 63492～
	3C8B01100-2	ｼﾘﾝﾀﾞｰ･ｸﾗﾝｸｹｰｽ Cylinder-Crank Case	-	1		40D2 # 47846～
1-1-1	916124-0845	ﾎﾞﾙﾄ * Bolt	14	14		
1-1-2	940121-0800	ﾜｯｼｬ * Washer	14	14		
1-1-3	345-01111-0	ﾀﾞｳｴﾙﾋﾟﾝ、6-12 * Dowel Pin, 6-12	2	2		
1-1-4	345-00117-0	ﾒｲﾝﾍﾞｱﾘﾝｸﾞﾀﾞｳｴﾙﾋﾟﾝ * Main Bearing Dowel Pin	1	1		
1-1-5	393-01137-0	L ﾆｯﾌﾟﾙ * L-Nipple	3	3		
1-1-6	393-01131-0	ﾆｯﾌﾟﾙ、5.5-5 * Nipple, 5.5-5	3	3		
1-2	98AL-4-0160	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
1-3	98AL-4-0220	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
1-4	98AL-4-0330	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
1-5	393-01160-0	ﾗｲﾝﾁｪｯｸﾊﾞﾙﾌﾞ Line Check Valve	3	3		50D2 # 63492～ 40D2 # 47846～
1-6	3T5-01133-0	ｸﾘｯﾌﾟ φ8 Clip, φ8	6	6		
1-7	3C8B01001-2	ｼﾘﾝﾀﾞﾍｯﾄﾞ Cylinder Head	1	1		
1-8	345-01111-0	ﾀﾞｳｴﾙﾋﾟﾝ、6-12 Dowel Pin, 6-12	2	2		
1-9	3C8-01005-4	ｼﾘﾝﾀﾞﾍｯﾄﾞｶﾞｽｹｯﾄ Cylinder Head Gasket	1	1		
1-10	3C8B01021-0	ｼﾘﾝﾀﾞﾍｯﾄﾞｶﾊﾞｰ Cylinder Head Cover	1	1		
1-11	3C8-01024-1	ｼﾘﾝﾀﾞﾍｯﾄﾞｶﾊﾞｰｶﾞｽｹｯﾄ Cylinder Head Cover Gasket	1	1		
1-12	916189-0865	ﾎﾞﾙﾄ Bolt	14	14		
1-13	345-01015-0	ﾜｯｼｬ、8.5-19.5-3.2 Washer, 8.5-19.5-3.2	14	14		
1-14	910121-5620	ﾎﾞﾙﾄ Bolt	4	4		
1-15	353-01030-0	ｻｰﾓｽﾀｯﾄ Thermostat	1	1		
1-16	353B01031-0	ｻｰﾓｽﾀｯﾄｷｬｯﾌﾟ Thermostat Cap	1	2		
1-17	353-01032-0	ｻｰﾓｽﾀｯﾄｷｬｯﾌﾟｶﾞｽｹｯﾄ Thermostat Cap Gasket	1	1		
1-18	910113-5625	ﾎﾞﾙﾄ Bolt	3	3		
1-19	3B7-01046-0	ﾌﾟﾗｸﾞ Plug	1	1		
1-20	338-60218-2	ｱﾉｰﾄﾞ Anode	1	1		
1-21	910103-5620	ﾎﾞﾙﾄ Bolt	1	1		
1-22	3C8B01513-0	ﾊﾝｶﾞ Hanger	1	1		
1-23	910114-0835	ﾎﾞﾙﾄ Bolt	1	1		

シリンダ・クランクケース
Fig. 1 CYLINDER・CRANK CASE





Fig. 23-1

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
1-24	940121-0800	ﾜｯｼｬ Washer	1	1		or 940113-0800
1-25	3C8-01291-0	ｸﾗﾝｸｹｰｽﾍｯﾄﾞ Crank Case Head	1	1		
1-26	346-01216-0	O ﾘﾝｸﾞ、1.7-59 O-Ring, 1.7-59	1	1		
1-27	334-00122-0	ｵｲﾙｼｰﾙ、25-40-8 Oil Seal, 25-40-8	1	1		
1-28	3C8-01215-0	ｵｲﾙｼｰﾙ、16-28-7 Oil Seal, 16-28-7	1	1		
1-29	910113-5620	ﾎﾞﾙﾄ Bolt	2	2		
1-30	3C8B02301-0	ｴｷｿﾞｰｽﾄｶﾊﾞｰ (ｱｳﾀ) Exhaust Cover (Outer)	1	1		
1-31	3C8-02302-0	ｴｷｿﾞｰｽﾄｶﾊﾞｰ (ｲﾝﾅ) Exhaust Cover (Inner)	1	1		
1-32	3C8-02305-1	ｴｷｿﾞｰｽﾄｶﾊﾞｰｶﾞｽｹｯﾄ Exhaust Cover Gasket	2	2		
1-33	910114-5625	ﾎﾞﾙﾄ Bolt	14	14		
1-34	353-01138-0	ｳｫｰﾀﾆｯﾌﾟﾙ Water Nipple	1	1		
1-35	98AB-5-0260	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
1-36	3B7-76093-0	ｸﾞﾛﾒｯﾄ、25-5 Grommet, 25-5	1	1		for "E" type
1-37	3C8-09081-1	ﾌﾞﾗｲﾝﾄﾞﾌﾟﾚｰﾄ Blind Plate	1	1		for Premixing model
1-38	3C8-09082-1	ﾌﾞﾗｲﾝﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ Blind Plate Gasket	1	1		
1-39	910103-6616	ﾎﾞﾙﾄ Bolt	2	2		
1-40	9701-1-1005	ｽﾊﾟｰｸﾌﾟﾗｸﾞ Spark Plug	-	3		NGK: B7HS-10
	9701-1-1009	ｽﾊﾟｰｸﾌﾟﾗｸﾞ Spark Plug	3	-		NGK: B8HS-10
	9701-1-1015	ｽﾊﾟｰｸﾌﾟﾗｸﾞ (ﾚｼﾞｽﾀﾝｽ) Spark Plug (with Resistance)	-	3		NGK: BR7HS-10
	9701-1-1016	ｽﾊﾟｰｸﾌﾟﾗｸﾞ (ﾚｼﾞｽﾀﾝｽ) Spark Plug (with Resistance)	3	-		NGK: BR8HS-10
1-41	309-06972-0	ｸﾗﾝﾌﾟ、6.5-47.5P Clamp, 6.5-47.5P	1	1		
1-42	910113-0610	ﾎﾞﾙﾄ Bolt	1	1		

ピストン・クランクシャフト
Fig. 2 PISTON・CRANK SHAFT



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
2-1	3C8-00030-0	ｸﾗﾝｸｼｬﾌﾄｱｯｼ Crank Shaft Ass'y	1	1		
2-1-1	3J2-00114-0	ﾎﾞｰﾙﾍﾞｱﾘﾝｸﾞ、6305 * Ball Bearing, 6305	1	1		50D # 53782～ 40D # 36532～
2-1-2	3C8-09060-0	ｵｲﾙﾎﾟﾝﾌﾟﾄﾞﾗｲﾌﾞｷﾞﾔ * Oil Pump Drive Gear	1	1		
2-1-3	945107-2500	C ﾘﾝｸﾞ、d=25 * C-Ring, d=25	1	1		
2-2	3C8-00113-0	ﾒｲﾝﾍﾞｱﾘﾝｸﾞ (ｱｯﾊﾟ) Main Bearing (Upper)	1	1		
2-2-1	3C8-00121-0	ｵｲﾙｼｰﾙ、32-42-6 * Oil Seal, 32-42-6	1	1		
2-3	3C8-00108-0	O ﾘﾝｸﾞ、2.4-39.7 O-Ring, 2.4-39.7	1	1		
2-4	345-00042-0	ﾆｰﾄﾞﾙﾍﾞｱﾘﾝｸﾞ、17-21-27 Needle Bearing, 17-21-27	3	3		
2-5	3C8-00001-3	ﾋﾟｽﾄﾝ (Std) Piston (Std)	3	3		
	3C8-00004-3	ﾋﾟｽﾄﾝ (0.5mm O/S) Piston (0.5mm O/S)	3	3		Option
2-6	356-00011-0	ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 1st (Std) Piston Ring 1st (Std)	3	3		
	356-00014-0	ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 1st (0.5mm O/S) Piston Ring 1st (0.5mm O/S)	3	3		Option
2-7	346-00011-0	ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 2nd (Std) Piston Ring 2nd (Std)	3	3		
	346-00014-0	ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 2nd (0.5mm O/S) Piston Ring 2nd (0.5mm O/S)	3	3		Option
2-8	3C8-00021-0	ﾋﾟｽﾄﾝﾋﾟﾝ Piston Pin	3	3		
2-9	334-00024-1	ﾋﾟｽﾄﾝﾋﾟﾝｸﾘｯﾌﾟ Piston Pin Clip	6	6		
2-10	346-00115-0	ｸﾗﾝｸｼｬﾌﾄｽﾗｽﾄﾌﾟﾚｰﾄ Crank Shaft Thrust Plate	2	2		
2-11	334-00131-0	ﾏｸﾞﾈﾄｷｰ Magneto Key	1	1		

インレット・リードバルブ
Fig. 3 INLET・REED VALVE





Fig. 1-1

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
3-1	3E3B02020-0	ｲﾝﾃｰｸﾏﾆﾎｰﾙﾄﾞ Intake Manifold	1	-		
	3C8B02020-0	ｲﾝﾃｰｸﾏﾆﾎｰﾙﾄﾞ Intake Manifold	-	1		
3-2	3C8-02104-1	ｲﾝﾃｰｸﾏﾆﾎｰﾙﾄﾞｶﾞｽｹｯﾄ Intake Manifold Gasket	3	3		
3-3	910114-5625	ﾎﾞﾙﾄ Bolt	11	11		
3-4	3T5-02100-0	ﾘｰﾄﾞﾊﾞﾙﾌﾞｱｯｼ Reed Valve Ass'y	3	-		
	3C8-02100-0	ﾘｰﾄﾞﾊﾞﾙﾌﾞｱｯｼ Reed Valve Ass'y	-	3		
3-5	98AB-5-0065	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
3-6	98AB-5-0155	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
3-7	338-02215-0	ｸﾘｯﾌﾟ、φ10 Clip, φ10	4	4		
3-8	916181-0685	ﾎﾞﾙﾄ Bolt	6	6		
3-9	940121-0600	ﾜｯｼｬ Washer	6	6		
3-10	941322-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	6	6		
3-11	309-06972-0	ｸﾗﾝﾌﾟ、6.5-47.5P Clamp, 6.5-47.5P	1	1		
3-12	910121-0625	ﾎﾞﾙﾄ Bolt	1	1		
3-13	921521-6516	ｽｸﾘｭ Screw	6	6		


インテークサイレンサ（エアサイレンサ）
Fig. 4　INTAKE SILENCER (AIR SILENCER)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
4-1	3E3-02411-0	ｲﾝﾃｰｸｻｲﾚﾝｻ Intake Silencer	1	-		
	3C8-02411-0	ｲﾝﾃｰｸｻｲﾚﾝｻ Intake Silencer	-	1		
4-2	3C8-02417-0	ｲﾝﾃｰｸｻｲﾚﾝｻﾛｯｸﾌﾟﾚｰﾄ Intake Silencer Lock Plate	3	3		
4-3	3C8-02420-0	ﾎﾞﾙﾄ、5-16 ﾌﾟﾚｺｰﾄ Bolt, 5-16 Pre-coated	6	6		
4-4	3C8-02415-0	ｲﾝﾃｰｸｻｲﾚﾝｻｶﾊﾞｰ Intake Silencer Cover	1	1		
4-5	3C8-02418-0	ｲﾝﾃｰｸｻｲﾚﾝｻｼｰﾙ Intake Silencer Seal	1	1		
4-6	3F3-02423-0	ﾀｯﾋﾟﾝｸﾞｽｸﾘｭ、5-30 Tapping Screw, 5-30	7	7		
4-7	3C8-67191-1	C ﾘﾝｸ、3-90 C-Link, 3-90	1	1		
4-8	346-67196-1	ﾛｯﾄﾞｽﾅｯﾌﾟ、3-B Rod Snap, 3-B	2	2		
4-9	353-03271-0	ﾁｮｰｸｿﾚﾉｲﾄﾞﾌｯｸｽﾄｯﾊﾟ Chock Solenoid Hook Stopper	1	1		for “EP” type
4-10	348-63717-1	ﾘﾝｸﾛｯﾄﾞ、5-68 Link Rod, 5-68	2	2		
4-11	3B7-05229-0	ﾎﾞｰﾙｼﾞｮｲﾝﾄｺﾈｸﾀ B Ball Joint Connector “B”	1	1		
4-12	3B7-05243-0	ﾎﾞｰﾙｼﾞｮｲﾝﾄｺﾈｸﾀ C Ball Joint Connector “C”	2	2		
4-13	930103-0500	ﾅｯﾄ Nut	4	4		
4-14	3C8-67192-0	ﾁｮｰｸﾘﾝｸﾛｯﾄﾞ Choke Link Rod	1	1		
4-15	346-67196-1	ﾛｯﾄﾞｽﾅｯﾌﾟ、3-B Rod Snap, 3-B	1	1		
4-16	3C8-67156-0	ﾁｮｰｸﾉﾌﾞﾌﾞｯｼﾝｸﾞ Choke Knob Bushing	1	1		
4-17	3C8-67151-1	ﾁｮｰｸﾉﾌﾞ Choke Knob	1	1		# 056449XD～
4-18	3E3-02011-0	ｷｬﾌﾞﾚﾀｶﾞｽｹｯﾄ Carburetor Gasket	3	-		
	3C8-02011-0	ｷｬﾌﾞﾚﾀ O ﾘﾝｸﾞ Carburetor O-Ring	-	3		


キャブレタ

Fig. 5 CARBURETOR




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
5-1	3E3-03200-3	ｷｬﾌﾞﾚﾀ (ｱｯﾊﾟ) Carburetor (Upper)	1	-		3E3 4 50D2 # 59260～
	3C8-03200-4	ｷｬﾌﾞﾚﾀ (ｱｯﾊﾟ) Carburetor (Upper)	-	1		3C8 5 40D2 # 43540～
5-1-1	3E3-03445-0	ﾒｲﾝｼﾞｪｯﾄ # 132 * Main Jet # 132	1	-		×2 Upper, Center
	3E3-03151-1	ﾒｲﾝｼﾞｪｯﾄ # 135 * Main Jet # 135	1	-		×1 Lower
	3C8-03441-0	ﾒｲﾝｼﾞｪｯﾄ # 122 * Main Jet # 122	-	1		×3 Upper, Center, Lower
5-1-2	3M2-03152-0	ｽﾛｰｼﾞｪｯﾄ # 80 * Slow Jet # 80	1	-		×3
	3C8-03152-1	ｽﾛｰｼﾞｪｯﾄ # 66 * Slow Jet # 66	-	1		×3
5-1-3	3C8-03169-0	ﾌﾟﾗｸﾞ * Plug	1	1		×3
5-1-4	3E3-03147-0	ﾌﾛｰﾄﾊﾞﾙﾌﾞ * Float Valve	1	1		×3
5-1-5	3C8-03126-0	ﾌﾛｰﾄｱｰﾑﾋﾟﾝ * Float Arm Pin	1	1		×3
5-1-6	3C8-03125-0	ﾌﾛｰﾄ * Float	1	1		×3
5-1-7	921722-0410	ｽｸﾘｭ * Screw	1	1		×3
5-1-8	3C8-03179-0	ｽﾄｯﾌﾟｽｸﾘｭ * Stop Screw	1	1		Upper Carburetor
5-1-9	3C8-03157-0	ｽﾌﾟﾘﾝｸﾞ A * Spring "A"	1	1		Upper Carburetor
5-1-10	3C8-03156-0	ｱｼﾞｬｽﾄｽｸﾘｭ * Adjust Screw	1	1		Upper, Center ×3 Lower
5-1-11	3C8-03157-0	ｽﾌﾟﾘﾝｸﾞ B * Spring "B"	1	1		×3
5-1-12	3C8-03120-0	ﾌﾛｰﾄﾁｬﾝﾊﾞｰ * Float Chamber	1	1		×2 Upper, Center
5-1-13	3C8-03121-0	ﾌﾛｰﾄﾁｬﾝﾊﾞｰ O ﾘﾝｸﾞ * Float Chamber O-Ring	1	1		×3 Upper, Center, Lower
5-1-14	922532-0412	ｽｸﾘｭ * Screw	4	4		×3
5-1-15	910332-0405	ﾄﾞﾚﾝｽｸﾘｭ * Drain Screw	1	1		×3
5-1-16	3C8-03193-0	ｶﾞｽｹｯﾄ * Gasket	1	1		×3
5-1-17	3E3-03141-0	ﾒｲﾝﾉｽﾞﾙ * Main Nozzle	1	-		×3
	3C8-03141-0	ﾒｲﾝﾉｽﾞﾙ * Main Nozzle	-	1		×3
5-1-18	3C8-03181-0	ｷｬﾌﾞﾚﾀ ｶﾊﾞｰ * Carburetor Cover	1	1		×3
5-1-19	3C8-03182-0	ｷｬﾌﾞﾚﾀ ｶﾊﾞｰｶﾞｽｹｯﾄ * Carburetor Cover Gasket	1	1		×3
5-1-20	922522-6410	ｽｸﾘｭ * Screw	2	2		×3 or 922503-6410
5-2	3E3-03207-3	ｷｬﾌﾞﾚﾀ (ｾﾝﾀ) Carburetor (Center)	1	-		50D2 #59260～
	3C8-03207-4	ｷｬﾌﾞﾚﾀ (ｾﾝﾀ) Carburetor (Center)	-	1		40D2 #43540～
5-3	3E3-03210-3	ｷｬﾌﾞﾚﾀ (ﾛﾜ) Carburetor (Lower)	1	-		50D2 #59260～
	3C8-03210-4	ｷｬﾌﾞﾚﾀ (ﾛﾜ) Carburetor (Lower)	-	1		40D2 #43540～

キャブレタ
Fig. 5 CARBURETOR



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
5-3-1	3C8-04004-0	ﾎﾟﾝﾌﾟｶﾊﾞｰ * Pump Cover	1	1		
5-3-2	922531-6525	ｽｸﾘｭ * Screw	4	4		
5-3-3	3C8-04018-0	ﾎﾟﾝﾌﾟｶﾊﾞｰｶﾞｽｹｯﾄ * Pump Cover Gasket	1	1		
5-3-4	350-04014-0	ﾁｪｯｸﾊﾞﾙﾌﾞ * Check Valve	2	2		
5-3-5	921703-0305	ｽｸﾘｭ * Screw	2	2		
5-3-6	930203-0300	ﾅｯﾄ * Nut	2	2		
5-3-7	350-04005-0	ﾎﾟﾝﾌﾟﾀﾞｲｱﾌﾗﾑ * Pump Diaphragm	1	1		
5-3-8	3C8-04028-0	ﾎﾟﾝﾌﾟﾎﾞﾃﾞｨｶﾞｽｹｯﾄ * Gasket, Pump Body	1	1		
5-3-9	3C8-04002-0	ﾎﾟﾝﾌﾟﾎﾞﾃﾞｨ * Pump Body	1	1		
5-3-10	3C8-03123-0	ﾌﾛｰﾄﾁｬﾝﾊﾞｰ (ﾛﾜ) * Float Chamber (Lower)	1	1		


フュエルライン
Fig. 6 FUEL LINE



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
6-1	3AD-02230-0	ﾌｭｴﾙﾌｨﾙﾀ Fuel Filter	1	1		
6-1-1	3AD-02237-0	ｶｯﾌﾟ * Cup	1	1		New
6-1-2	3AD-02235-0	O ﾘﾝｸﾞ * O-Ring	1	1		
6-1-3	3AD-02234-0	ﾌｨﾙﾀ * Filter	1	1		
6-2	930113-0800	ﾅｯﾄ Nut	1	1		
6-3	940113-0800	ﾜｯｼｬ Washer	2	2		
6-4	3C8-09075-0	ﾁｪｯｸﾊﾞﾙﾌﾞ Check Valve	1	1		
6-5	98AB-5-0215	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
6-6	98AB-5-0300	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
6-7	98AB-5-0200	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		Auto-mixing model
6-8	98AB-5-0080	ｺﾞﾑﾎｰｽ Rubber Hose	2	2		
6-9	338-02215-0	ｸﾘｯﾌﾟ、φ10 Clip, φ10	10	10		
	338-02215-0	ｸﾘｯﾌﾟ、φ10 Clip, φ10	8	8		
6-10	98AB-5-0350	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		for Premixing model
6-11	98AB-5-0530	ｺﾞﾑﾎｰｽ Rubber Hose	1	1		
6-12	3B2-70260-1	ﾌｭｴﾙｺﾈｸﾀ (ｴﾝｼﾞﾝ、ﾒｰﾙ) Fuel Connector (Engine, Male)	1	1		
6-13	332-70261-0	ﾅｯﾄ、10-P1.25 Nut, 10-P1.25	1	1		
6-14	336-70112-0	ｶﾞｽｹｯﾄ、10.2-16-0.5 Gasket, 10.2-16-0.5	1	1		

スロットル


Fig. 7 THROTTLE



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
7-1	3C8-63711-1	ｱﾄﾞﾊﾞﾝｻｱｰﾑ Advancer Arm	1	1		
7-2	910103-0635	ﾎﾞﾙﾄ Bolt	1	1		
7-3	346-67115-0	ﾜｯｼｬ、6.5-21-1 Washer, 6.5-21-1	2	2		
7-4	3C8-63732-0	ｶﾗｰ、6.2-12-17 Collar, 6.2-12-17	1	1		
7-5	910103-0630	ﾎﾞﾙﾄ Bolt	1	1		or 910113-0630
7-6	930103-0600	ﾅｯﾄ Nut	1	1		or 930113-0600
7-7	3E3-63718-1	ｽﾛｯﾄﾙｶﾑ Throttle Cam	1	-		50D2 #59260～
	3C8-63704-0	ｽﾛｯﾄﾙｶﾑ Throttle Cam	-	1		40D2 #43540～
7-8	3E3-63712-0	ｱﾄﾞﾊﾞﾝｻﾚﾊﾞｰ Advancer Lever	1	1		50D2 #59260～ 40D2 #43540～
7-9	910103-0640	ﾎﾞﾙﾄ Bolt	1	1		
7-10	941303-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	1	1		
7-11	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 Washer, 6-16-1.5	2	2		or 3C8-66308-0
7-12	3E3-63727-0	ｽﾛｯﾄﾙｶﾑｽﾌﾟﾘﾝｸﾞ Throttle Cam Spring	1	1		50D2 #59260～ 40D2 #43540～
7-13	3E3-63721-0	ｶﾗｰ、6.5-10.5-26.3 Collar, 6.5-10.5-26.3	1	1		
7-14	346-05228-1	ﾎﾞｰﾙｼﾞｮｲﾝﾄ B Ball Joint "B"	2	2		
7-15	3E3-63709-1	L リンク、5-105 L-Link, 5-105	1	1		50D2 #59260～ 40D2 #43540～
7-16	3E5-63715-1	L リンク、5-90 L-Link, 5-90	1	1		Old Part No. 3E3-63716-0
7-17	3B7-05243-0	ﾎﾞｰﾙｼﾞｮｲﾝﾄｺﾈｸﾀ C Ball Joint Connector "C"	2	2		
7-18	930103-0500	ﾅｯﾄ Nut	2	2		
7-19	3C8-63733-0	ﾛｯﾄﾞｽﾅｯﾌﾟ、5-3 Rod Snap, 5-3	2	2		
7-20	941303-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	1	1		
7-21	3B7-83715-1	ｹｰﾌﾞﾙｼﾞｮｲﾝﾄ Cable Joint	1	1		
7-22	3AA-83719-0	ﾜｯｼｬ、8.5-18-1.6 Washer, 8.5-18-1.6	1	1		for "P" type
7-23	951603-0800	ｽﾅｯﾌﾟﾋﾟﾝ、d=8 Snap Pin, d=8	1	1		
7-24	3C8-05213-0	ｽﾛｯﾄﾙｽﾘﾐｯﾀｱｰﾑ Throttle Limiter Arm	1	1		
7-25	910114-0625	ﾎﾞﾙﾄ Bolt	1	1		
7-26	940103-0600	ﾜｯｼｬ Washer	2	2		
7-27	353-76079-0	ｶﾗｰ、6.2-9-9.3 Collar, 6.2-9-9.3	1	1		for "F" type
7-28	3C8-05221-0	S リンク、3.5-56 S-Link, 3.5-56	2	2		
7-29	3C8-05223-0	ﾛｯﾄﾞｽﾅｯﾌﾟ B、3.5-4 Rod Snap "B", 3.5-4	4	4		

ﾃｨﾗﾊﾝﾄﾞﾙ (F ﾀｲﾌﾟ)


Fig. 8 TILLER HANDLE (F Type)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
8-1	3C8Q63011-1	ﾃｨﾗﾊﾝﾄﾞﾙ Tiller Handle	1	1		Steering handle
8-2	3C8-63101-0	ﾌﾞｯｼﾝｸﾞ A Bushing "A"	1	1		
8-3	3B2-63108-0	ﾜｯｼｬ、30-45-1 Washer, 30-45-1	1	1		
8-4	3B2-63109-0	ｳｴｰﾌﾞﾜｯｼｬ、30-45-1.2 Wave Washer, 30-45-1.2	1	1		
8-5	3C8-63102-1	ﾌﾞｯｼﾝｸﾞ B Bushing "B"	1	1		
8-6	3C8Q63027-0	ﾃｨﾗﾊﾝﾄﾞﾙﾎﾙﾀﾞ Tiller Handle Holder	1	1		
8-6-1	915313-1022	ｽﾀｯﾄﾞﾎﾞﾙﾄ * Stud Bolt	1	1		
8-7	940113-1000	ﾜｯｼｬ Washer	1	1		or 940103-1000
8-8	930113-1000	ﾅｯﾄ、10-P1.5 Nut, 10-P1.5	1	1		or 930103-1000
8-9	398-63012-0	ｸﾞﾘｯﾌﾟ Grip	1	1		
8-10	3C8-63041-1	ｽﾛｯﾄﾙｼｬﾌﾄ Throttle Shaft	1	1		
8-11	345-63048-0	ｽﾛｯﾄﾙｼｬﾌﾄﾀﾞﾝﾊﾟ Throttle Shaft Damper	1	1		
8-12	398-63053-0	ｽﾛｯﾄﾙｼｬﾌﾄｽﾍﾟｰｻ Throttle Shaft Spacer	1	1		
8-13	951403-0310	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3-10 Spring Pin, 3-10	1	1		
8-14	350-63046-0	ﾌﾞｯｼﾝｸﾞ、8.4-10-11 Bushing, 8.4-10-11	1	1		
8-15	921803-0525	ｽｸﾘｭ Screw	1	1		
8-16	3C8-63063-0	ｽﾛｯﾄﾙｼｬﾌﾄｻﾎﾟｰﾀ Throttle Shaft Supporter	1	1		
8-17	910113-5612	ﾎﾞﾙﾄ Bolt	1	1		or 910103-5612
8-18	3B2-63035-1	ﾌﾘｸｼｮﾝﾋﾟｰｽ Friction Piece	1	1		
8-19	3B2-63034-0	ｱｼﾞｬｽﾄｽｸﾘｭ Adjusting Screw	1	1		
8-20	940113-0600	ﾜｯｼｬ Washer	1	1		or 940103-0600
8-21	930103-0600	ﾅｯﾄ Nut	1	1		
8-22	3C8-63600-0	ｽﾛｯﾄﾙﾜｲﾔ Throttle Cable	2	2		
8-23	3C8Q62001-2	ｽﾃｱﾘﾝｸﾞﾌﾞﾗｹｯﾄ Steering Bracket	1	1		
8-24	915213-0845	ｽﾀｯﾄﾞﾎﾞﾙﾄ Stud Bolt	2	2		
8-25	940113-0800	ﾜｯｼｬ Washer	2	2		or 940103-0800
8-26	930403-0800	ﾅｲﾛﾝﾅｯﾄ、8-P1.25 Nylon Nut, 8-P1.25	2	2		
8-27	3C8-63607-0	ｽﾛｯﾄﾙﾜｲﾔｸﾘｯﾌﾟ Throttle Cable Clip	1	1		
8-28	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 Washer, 6-16-1.5	1	1		or 3C8-66308-0
8-29	921513-0610	ｽｸﾘｭ Screw	1	1		

ﾃｨﾗﾊﾝﾄﾞﾙ (F ﾀｲﾌﾟ)


Fig. 8 TILLER HANDLE (F Type)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
8-30	345-06915-0	ｸﾗﾝﾌﾟ、6.5-14L Cramp, 6.5-14L	1	1		
8-31	910113-5612	ﾎﾞﾙﾄ Bolt	1	1		
8-32	3C8-63508-0	ｽﾛｯﾄﾙﾜｲﾔﾌﾞﾗｹｯﾄ Throttle Cable Bracket	1	1		
8-33	910114-0614	ﾎﾞﾙﾄ Bolt	2	2		
8-34	940113-0600	ﾜｯｼｬ Washer	2	2		
8-35	369-72019-1	ｽﾛｯﾄﾙﾃﾞｶﾙ Throttle Decal	1	1		

リコイルスタータ (F タイプ)


Fig. 9 RECOIL STARTER (F Type)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
9-1	3C8-05090-1	ﾘｺｲﾙｽﾀｰﾀ Recoil Starter	1	1		
9-1-1	3C8-05106-0	ﾘｰﾙ * Reel	1	1		
9-1-2	3C8-05003-0	ﾗﾁｪｯﾄ * Ratchet	1	1		
9-1-3	3C8-05004-0	ｽﾀｰﾀｽﾌﾟﾘﾝｸﾞ * Starter Spring	1	1		
9-1-4	3C8-05007-0	ﾌﾘｸｼｮﾝｽﾌﾟﾘﾝｸﾞ * Friction Spring	1	1		
9-1-5	3C8-05012-0	ﾘﾀｰﾝｽﾌﾟﾘﾝｸﾞ * Return Spring	1	1		
9-1-6	3C8-05006-0	ﾌﾘｸｼｮﾝﾌﾟﾚｰﾄ * Friction Plate	1	1		
9-1-7	3C8-05107-0	ﾌﾞｯｼﾝｸﾞ * Bushing	1	1		
9-1-8	3C8-05108-0	ﾜｯｼｬ * Washer	1	1		
9-1-9	3C8-05023-0	ｽﾗｲﾄﾞﾌﾟﾚｰﾄ * Sliding Plate	1	1		
9-1-10	3C8-05029-0	ｽﾗｲﾄﾞﾌﾟﾚｰﾄ * Sliding Plate	1	1		
9-1-11	945127-2800	C ﾘﾝｸﾞ * C-Ring	1	1		
9-1-12	3C8-05138-0	ﾎﾞﾙﾄ * Bolt	1	1		
9-1-13	3C8-05013-0	ｽﾀｰﾀﾛｰﾌﾟ * Starter Rope	1	1		φ6-2250
9-1-14	3C8-05019-0	ｽﾀｰﾀﾊﾝﾄﾞﾙ * Starter Handle	1	1		
9-1-15	3C8-05014-0	ｽﾀｰﾀﾛｰﾌﾟｶﾞｲﾄﾞ * Starter Rope Guide	1	1		
9-1-16	3C8-05138-0	ﾎﾞﾙﾄ * Bolt	2	2		
9-1-17	3C8-05252-0	ﾘｰﾙｽﾄｯﾊﾟ * Reel Stopper	1	1		
9-1-18	3C8-05253-0	ｽﾄｯﾊﾟｱｰﾑ * Stopper Arm	1	1		
9-1-19	3C8-05216-0	ｽﾀｰﾀﾛｯｸｽﾌﾟﾘﾝｸﾞ * Starter Lock Spring	1	1		
9-1-20	3C8-05237-0	ﾜｯｼｬ * Washer	1	1		
9-1-21	951503-1520	ｽﾌﾟﾘｯﾄﾋﾟﾝ * Split Pin	1	1		
9-1-22	3C8-05217-0	ﾜｲﾔ * Cable	1	1		
9-1-23	3C8-05257-0	ｹｰﾌﾞﾙﾎﾙﾀﾞ * Cable Holder	1	1		
9-1-24	922431-0510	ｽｸﾘｭ * Screw	1	1		
9-1-25	3C8-05238-0	ﾊﾟｲﾌﾟ * Pipe	1	1		
9-1-26	3R3-05131-0	ｽﾀｰﾀﾊﾝﾄﾞﾙｷｬｯﾌﾟ * Starter Handle Cap	1	1		
9-2	910114-0625	ﾎﾞﾙﾄ Bolt	3	3		
9-3	941303-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	3	3		
9-4	3C8-05901-0	ｽﾀｰﾀﾌﾟｰﾘ Starter Pulley	1	1		

リコイルスタータ (F タイプ)


Fig. 9 RECOIL STARTER (F Type)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
9-5	910114-0818	ﾎﾞﾙﾄ Bolt	3	3		
9-6	941303-0800	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	3	3		
9-7	3C8-05211-0	ｽﾀｰﾀﾛｯｸｱｰﾑ Starter Lock Arm	1	1		
9-8	910114-0625	ﾎﾞﾙﾄ Bolt	1	1		
9-9	940113-0600	ﾜｯｼｬ Washer	2	2		or 640103-0600
9-10	353-76079-0	ｶﾗｰ、6.2-9-9.3 Collar, 6.2-9-9.3	1	1		
9-11	3C7-72182-2	ｺｰｼｮﾝﾃﾞｶﾙ C Caution Decal "C"	1	1		

マグネト


Fig. 10 MAGNETO



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
10-1	3C8-06101-0	ﾌﾗｲﾎｲﾙｶｯﾌﾟ (F4T405-72) Flywheel Cup (F4T405-72)	1	1		50D # 54652～ 40D # 37998～
10-2	3C8-06103-2	ｺｲﾙﾌﾟﾚｰﾄｱｯｼ Coil Plate Ass'y	1	1		50D # 58631～ 40D # 42738～
10-2-1	3C8-06130-2	* ﾊﾟﾙｻﾌﾟﾚｰﾄｱｯｼ Pulser Plate Ass'y	1	1		50D # 58631～ 40D # 42738～
10-2-2	3B7-06131-0	* ﾊﾟﾙｻﾎﾙﾀﾞ Pulser Holder	1	1		
10-2-3	3C8-06120-1	* ｴｷｻｲﾀｺｲﾙ Exciter Coil	1	1		50D # 54652～ 40D # 37998～
10-2-4	921521-6630	* ｽｸﾘｭ Screw	2	2		
10-2-5	3C8-06123-1	* ｵﾙﾀﾈｰﾀ Alternator	1	1		50D # 54652～ 40D # 37998～
10-2-6	921521-6630	* ｽｸﾘｭ Screw	4	4		
10-2-7	3B7-06135-0	* ﾏｸﾞﾈｯﾄｺｰﾄﾞﾎﾙﾀﾞ Magneto Cord Holder	1	1		
10-2-8	922521-0406	* ｽｸﾘｭ Screw	2	2		
10-2-9	3B7-06132-0	* ﾊﾟﾙｻｸﾗﾝﾌﾟ Pulser Clamp	2	2		
10-2-10	922521-6406	* ｽｸﾘｭ Screw	2	2		
10-2-11	3B7-06133-0	* ﾘｰﾄﾞﾜｲﾔﾊﾞﾝﾄﾞ Lead Wire Band	1	1		
10-3	3B7-63723-0	ｾｯﾄﾘﾝｸﾞ Set Ring	1	1		
10-4	346-63722-2	ｶﾞｲﾄﾞﾌﾟﾚｰﾄ Guide Plate	1	1		
10-5	910121-0616	ﾎﾞﾙﾄ Bolt	3	3		
10-6	941322-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	3	3		
10-7	3C8-63745-0	ｼﾑ、110-122-0.15 Shim, 110-122-0.15	AR	AR		
	3C8-63746-0	ｼﾑ、110-122-0.2 Shim, 110-122-0.2	AR	AR		
	3C8-63747-0	ｼﾑ、110-122-0.25 Shim, 110-122-0.25	AR	AR		
10-8	921503-6510	ｽｸﾘｭ Screw	3	3		50D # 58631～ 40D # 42738～
10-9	353-00132-0	ﾅｯﾄ、18-P1.5 Nut, 18-P1.5	1	1		
10-10	353-00133-0	ﾜｯｼｬ、19-34-3 Washer, 19-34-3	1	1		

エレクトリックパーツ (C. D. ユニット)


Fig. 11 ELECTRIC PARTS (C. D. UNIT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
11-1	3C8-06160-0	C. D. ユニット C.D. Unit	1	1		
11-2	3B7-60103-0	O リング、3.1-94.4 O-Ring, 3.1-94.4	1	1		
11-3	3C7-06040-0	イグニッションコイル (レジスタンスキャップ付) Ignition Coil (with Resistance Cap)	3	3		
11-3-1	3M2-06291-0	* プラグキャップ Plug Cap	3	3		
11-3-2	3M2-06926-0	* プラグキャップターミナル Plug Cap Terminal	3	3		
11-3-3	3C7-06921-0	* プラグキャップ (レジスタンス) Plug Cap (with Resistance)	3	3		
11-4	336-76091-0	リードワイヤバンド Lead Wire Band	1	1		
11-5	910103-5620	ボルト Bolt	3	3		
11-6	151-33159-0	ガスケット、6.2-11-1 Gasket, 6.2-11-1	3	3		
11-7	3C8B06901-0	エレクトリックブラケット Electric Bracket	1	1		50D # 50696～ 40D # 32886～
11-8	3C8-06902-0	エレクトリックブラケットカバー Electric Bracket Cover	1	1		
11-9	3C8-72028-0	ワイヤリングダイヤグラムデカル Wiring Diagram Decal	1	1		
11-10	921503-5514	スクリュ Screw	5	5		
11-11	346-67113-0	ラバーマウント、8.5-14-2.5 Rubber Mount, 8.5-14-2.5	3	3		
11-12	3B7-06920-0	ラバーマウント、8.5-14-2.5 Rubber Mount, 8.5-14-2.5	3	3		
11-13	346-67114-0	スペーサ、6.2-9-15.7 Spacer, 6.2-9-15.7	3	3		
11-14	910103-6630	ボルト Bolt	3	3		
11-15	346-67115-0	ワッシャ、6.5-21-1 Washer, 6.5-21-1	6	6		
11-16	353-76213-0	ヒューズ Fuse	1	1		20A
11-17	910403-5612	ボルト Bolt	1	1		
11-18	309-06972-0	クランプ、6.5-47.5P Clamp, 6.5-47.5P	1	1		
11-19	910403-0612	ボルト Bolt	1	1		"E" type
11-20	3N4-76142-0	アースコード Ground Cable	1	1		
11-21	3C8-72181-0	コーションラベル (CE-B) Caution Label (CE-B)	1	1		

エレクトリックパーツ（スタータモータ）


Fig. 12 ELECTRIC PARTS (STARTER MOTOR)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
12-1	3C8-76010-1	ｽﾀｰﾀﾓｰﾀ Starter Motor	1	1		
12-1-1	3C8-76015-0	ﾋﾟﾆｵﾝ * Pinion	1	1		
12-1-2	3C8-75015-0	ﾜｯｼｬ * Washer	1	1		
12-1-3	3C8-75014-0	ﾌﾞﾗｼﾎﾙﾀﾞ * Brush Holder	1	1		
12-1-4	921521-6408	ｽｸﾘｭ * Screw	2	2		
12-1-5	3C8-75016-0	ﾌﾞｯｼﾝｸﾞ 1 * Bushing 1	1	1		
12-1-6	3C8-75017-0	ﾌﾞｯｼﾝｸﾞ 2 * Bushing 2	1	1		
12-1-7	3C8-75018-0	O ﾘﾝｸﾞ * O-Ring	1	1		
12-1-8	940103-0600	ﾜｯｼｬ * Washer	1	1		
12-1-9	941303-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
12-1-10	930203-0600	ﾅｯﾄ * Nut	2	2		
12-1-11	3C8-75019-0	ﾎﾞﾙﾄ * Bolt	2	2		
12-1-12	941321-0500	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
12-1-13	940221-0500	ﾜｯｼｬ * Washer	2	2		
12-2	910103-5825	ﾎﾞﾙﾄ Bolt	2	2		
12-3	3C8B05101-0	ｽﾀｰﾀﾓｰﾀﾌﾞﾗｹｯﾄ Starter Motor Bracket	1	1		
12-4	910103-5825	ﾎﾞﾙﾄ Bolt	4	4		
12-5	3C8-76007-0	ｽﾀｰﾀﾓｰﾀﾀﾞﾝﾊﾟ Starter Motor Damper	1	1		
12-6	3C8-76009-0	ｽﾀｰﾀﾓｰﾀﾊﾞﾝﾄﾞ Starter Motor Band	1	1		
12-7	910113-5820	ﾎﾞﾙﾄ Bolt	1	1		or 910103-5820
12-8	346-76040-0	ｽﾀｰﾀｿﾚﾉｲﾄﾞ Starter Solenoid	1	1		
12-9	910103-6616	ﾎﾞﾙﾄ Bolt	1	1		
12-10	3C8-71035-0	ｽﾀｰﾀｿﾚﾉｲﾄﾞﾌﾞﾗｹｯﾄ Starter Solenoid Bracket	1	1		
12-11	910103-6614	ﾎﾞﾙﾄ Bolt	2	2		
12-12	3C8-06301-0	ﾘﾝｸﾞｷﾞﾔｶﾊﾞｰ Ring Gear Cover	1	1		
12-13	910113-0625	ﾎﾞﾙﾄ Bolt	3	3		
12-14	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 Washer, 6-16-1.5	3	3		for "P" type
12-15	353-76079-0	ｶﾗｰ、6.2-9-9.3 Collar, 6.2-9-9.3	3	3		
12-16	3B7-06305-0	ﾗﾊﾞｰﾏｳﾝﾄ、9-16-4.3 Rubber Mount, 9-16-4.3	3	3		
12-17	3C8-76141-0	ｽﾀｰﾀｺｰﾄﾞ Starter Cable	1	1		L=160

エレクトリックパーツ（スタータモータ）


Fig. 12　ELECTRIC PARTS (STARTER MOTOR)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
12-18	3B7-76120-0	ﾊﾞｯﾃﾘｺｰﾄﾞ Battery Cable	1	1		L=3000
12-19	910103-6612	ﾎﾞﾙﾄ Bolt	1	1		
12-20	3B7-76145-0	ﾀｰﾐﾅﾙｷｬｯﾌﾟ Terminal Cap	1	1		
12-21	3A3-76145-0	ﾀｰﾐﾅﾙｷｬｯﾌﾟ Terminal Cap	2	2		
12-22	309-06972-0	ｸﾗﾝﾌﾟ、6.5-47.5P Clamp, 6.5-47.5P	1	1		
12-23	910113-0610	ﾎﾞﾙﾄ Bolt	1	1		or 910103-0610
12-24	3C8-06105-0	ｺｲﾙﾌﾟﾚｰﾄｽﾄｯﾊﾟ Coil Plate Stopper	1	1		50D2 # 61577～ 40D2 # 45738～
12-25	3C7-72182-2	ｺｰｼｮﾝﾃﾞｶﾙ C Caution Decal “C”	1	1		for “P” type


エレクトリックパーツ（ダイアグラム）

Fig. 13 ELECTRIC PARTS (DIAGRAM)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
13-1	3B7-76065-3	ﾚｸﾁﾌｧｲﾔ Rectifier	1	1		
13-2	921503-7625	ｽｸﾘｭ Screw	2	2		
13-3	361-76050-0	ﾁｮｰｸｿﾚﾉｲﾄﾞ Choke Solenoid	1	1		
13-3-1	361-76073-0	ﾁｮｰｸｿﾚﾉｲﾄﾞﾌﾟﾗﾝｼﾞｬ * Choke Solenoid Plunger	1	1		
13-4	921503-6408	ｽｸﾘｭ Screw	3	3		
13-5	3C8-76055-0	ﾁｮｰｸｿﾚﾉｲﾄﾞﾌﾞﾗｹｯﾄ Choke Solenoid Bracket	1	1		for "P" type
13-6	910103-6616	ﾎﾞﾙﾄ Bolt	2	2		
13-7	3C8-76057-0	ﾁｮｰｸｿﾚﾉｲﾄﾞﾌｯｸ Choke Solenoid Hook	1	1		
13-8	951403-0312	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3-12 Spring Pin, 3-12	1	1		
13-9	3C8-76110-0	ｺｰﾄﾞｱｯｼ A Cord Ass'y "A"	1	1		
13-10	353-76062-1	ﾋｭｰｽﾞﾜｲﾔ Fuse Cable	1	1		
13-11	3C8-72580-0	PTT ｿﾚﾉｲﾄﾞｽｲｯﾁ A PTT Solenoid Switch "A"	1	1		UP
13-12	3C8-72581-0	PTT ｿﾚﾉｲﾄﾞｽｲｯﾁ B PTT Solenoid Switch "B"	1	1		DN
13-13	3C8-72582-0	ｺｰﾄﾞ A Cord "A"	1	1		L=80
13-14	3C8-72583-1	ｺｰﾄﾞ B Cord "B"	1	1		L=150　for "PTT" type
13-15	3C8-72588-0	ｺｰﾄﾞ C Cord "C"	1	1		L=900
13-16	3C8-72589-0	ｺｰﾄﾞ D Cord "D"	1	1		L=1100
13-17	3A3-76145-0	ﾀｰﾐﾅﾙｷｬｯﾌﾟ Terminal Cap	6	6		
13-18	910103-5612	ﾎﾞﾙﾄ Bolt	2	2		or 910113-5612
13-19	3C8-76119-0	ｺｰﾄﾞｱｯｼ C Cord Ass'y "C"	1	1		for "F" type
13-20	3C8-76171-0	ｵｰﾊﾞｰﾋｰﾄﾌﾞｻﾞｰ Over-Heat Buzzer	1	1		
13-21	3C8-76172-0	ｵｰﾊﾞｰﾋｰﾄｾﾝｻ Over-Heat Sensor	1	1		
13-22	353-66024-0	ｽﾄｯﾊﾟ Stopper	1	1		Option
13-23	910103-6620	ﾎﾞﾙﾄ Bolt	1	1		

オイルポンプ（オートミキシング）
Fig. 14 OIL PUMP (AUTO MIXING)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
14-1	3C8-09000-1	ｵｲﾙﾎﾟﾝﾌﾟ Oil Pump	1	1		
14-1-1	3B7-09002-0	Oﾘﾝｸﾞ、1.6-19.2 * O-Ring, 1.6-19.2	1	1		
14-1-2	3B7-09004-0	ｴｱﾍﾞﾝﾄﾎﾞﾙﾄ * Air Vent Bolt	1	1		
14-1-3	3B7-09006-0	ﾜｯｼｬ * Washer	1	1		
14-2	3C8-09050-0	ｵｲﾙﾎﾟﾝﾌﾟﾎﾞﾙﾄ Oil Pump Bolt	2	2		
14-3	941303-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	2	2		
14-4	3C8-09065-0	ｵｲﾙﾎﾟﾝﾌﾟﾄﾞﾘﾌﾞﾝｷﾞﾔ Oil Pump Driven Gear	1	1		
14-5	3C8-09069-0	ﾌﾞｯｼﾝｸﾞ、9-20-20.8 Bushing, 9-20-20.8	1	1		
14-6	3C8-63733-0	ﾛｯﾄﾞｽﾅｯﾌﾟ、5-3 Rod Snap, 5-3	1	1		
14-7	3C8-09053-1	ｵｲﾙﾎﾟﾝﾌﾟﾘﾝｸﾛｯﾄﾞ Oil Pump Link Rod	1	1		
14-8	930103-0500	ﾅｯﾄ Nut	1	1		
14-9	3B7-05243-0	ﾎﾞｰﾙｼﾞｮｲﾝﾄｺﾈｸﾀ C Ball Joint Connector “C”	1	1		
14-10	3C8-71010-1	ｵｲﾙﾀﾝｸ Oil Tank	1	1		
14-11	3B7-06920-0	ﾗﾊﾞｰﾏｳﾝﾄ、8.5-14-2.5 Rubber Mount, 8.5-14-2.5	3	3		
14-12	346-67114-0	ｽﾍﾟｰｻ、6.2-9-15.7 Spacer, 6.2-9-15.7	3	3		
14-13	346-67113-0	ﾗﾊﾞｰﾏｳﾝﾄ、8.5-14-2.5 Rubber Mount, 8.5-14-2.5	3	3		
14-14	910103-6630	ﾎﾞﾙﾄ Bolt	3	3		
14-15	346-67115-0	ﾜｯｼｬ、6.5-21-1 Washer, 6.5-21-1	6	6		
14-16	3C8-71015-0	ｵｲﾙﾀﾝｸｷｬｯﾌﾟ Oil Tank Cap	1	1		
14-17	3C8-71016-0	ｶﾞｽｹｯﾄ、36-52-2 Gasket, 36-52-2	1	1		
14-18	3C8-71017-0	ﾀﾝｸｷｬｯﾌﾟﾌｯｸ Tank Cap Hook	1	1		
14-19	3C8-71018-0	ﾀﾝｸｷｬｯﾌﾟﾁｪｯｸﾊﾞﾙﾌﾞ Tank Cap Check Valve	1	1		
14-20	3C8-71020-1	ｵｲﾙﾚﾍﾞﾙｾﾝｻ Oil Level Sensor	1	1		
14-21	3C7-71030-0	ｵｲﾙﾌｨﾙﾀ Oil Filter	1	1		
14-21-1	3B7-02237-0	ｶｯﾌﾟ * Cup	1	1		
14-21-2	3B7-02235-0	Oﾘﾝｸﾞ A * O-Ring “A”	1	1		
14-21-3	3C7-71033-0	ﾌｨﾙﾀ * Filter	1	1		
14-21-4	3B7-02236-0	Oﾘﾝｸﾞ B * O-Ring “B”	1	1		
14-22	930113-0800	ﾅｯﾄ Nut	1	1		
14-23	940103-0800	ﾜｯｼｬ Washer	2	2		or 940113-0800


オイルポンプ（オートミキシング）
Fig. 14 OIL PUMP (AUTO MIXING)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
14-24	99AA-6-0700	ｵｲﾙﾊﾟｲﾌﾟ Oil Pipe	1	1		50D2 # 62305～ 40D2 # 46451～
14-25	99AA-6-0400	ｵｲﾙﾊﾟｲﾌﾟ Oil Pipe	1	1		
14-26	3B7-09054-0	ｸﾘｯﾌﾟ、φ9.5 Clip, φ9.5	4	4		
14-27	99AA-4-0230	ｵｲﾙﾊﾟｲﾌﾟ Oil Pipe	1	1		
14-28	3C7-09056-0	ｸﾘｯﾌﾟ、φ8.5 Clip, φ8.5	2	2		
14-29	3E3-71035-0	ｵｲﾙﾌｨﾙﾀﾌﾞﾗｹｯﾄ Oil Filter Bracket	1	1		50D2 # 62305～ 40D2 # 46451～

ドライブシャフトハウシング


Fig. 15 DRIVE SHAFT HOUSING



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
15-1	3C8Q61191-1	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞ S Drive Shaft Housing "S"	1	1		for Transom "S"
	3C8Q61192-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞ L Drive Shaft Housing "L"	1	1		for Transom "L", "UL"
15-2	916113-0880	ﾎﾞﾙﾄ Bolt	6	6		
15-3	940113-0800	ﾜｯｼｬ Washer	6	6		
15-4	3C8Q61110-0	ｴｸｽﾃﾝｼｮﾝﾊｳｼﾞﾝｸﾞ UL Extension Housing "UL"	1	1		for Transom "UL"
15-5	910113-5835	ﾎﾞﾙﾄ Bolt	6	6		
15-6	346-66037-0	ｶﾑﾛｯﾄﾞﾎﾙﾀﾞ Cam Rod Holder	1	1		
15-7	353-66024-0	ｽﾄｯﾊﾟ Stopper	1	1		for Transom "UL"
15-8	910103-6612	ﾎﾞﾙﾄ Bolt	1	1		
15-9	346-65204-0	ｳｫｰﾀﾊﾟｲﾌﾟｵｰｸｼﾞｭｱﾘｰﾏｳﾝﾄ Water Pipe Auxiliary Mount	1	1		Water pipe locking rubber
15-10	3C8Q61210-0	ｴﾌﾟﾛﾝ Apron	1	1		
15-11	3C8-61212-0	ｴﾌﾟﾛﾝｸﾞﾛﾒｯﾄ Apron Grommet	1	1		
15-12	922513-5540	ｽｸﾘｭ Screw	1	1		
15-13	930403-0500	ﾅｲﾛﾝﾅｯﾄ、5-P0.8 Nylon Nut, 5-P0.8	1	1		
15-14	3C8-61213-0	ｴﾌﾟﾛﾝｼｰﾙ Apron Seal	1	1		
15-15	3C8-61012-1	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞｶﾞｽｹｯﾄ Drive Shaft Housing Gasket	1	1		
15-16	3C8Q01301-0	ｴﾝｼﾞﾝﾍﾞｰｽ Engine Basement	1	1		
15-17	3C8-01303-1	ｴﾝｼﾞﾝﾍﾞｰｽｶﾞｽｹｯﾄ Engine Basement Gasket	1	1		
15-18	3R0-67116-0	ｴﾝｼﾞﾝﾍﾞｰｽｼｰﾙ Engine Basement Seal	1	1		L=830
15-19	910113-5625	ﾎﾞﾙﾄ Bolt	4	4		
15-20	345-01111-0	ﾀﾞｳｴﾙﾋﾟﾝ、6-12 Dowel Pin, 6-12	4	4		
15-21	3C8-02311-1	ｴｷｿﾞｰｽﾄﾊﾟｲﾌﾟ Exhaust Pipe	1	1		50D2 # 59260～ 40D2 # 43540～
15-22	3C8-02319-0	ﾎﾞﾙﾄ、8-30 Bolt, 8-30	3	3		
15-23	3C8-02312-1	ｴｷｿﾞｰｽﾄﾊﾟｲﾌﾟｶﾞｽｹｯﾄ Exhaust Pipe Gasket	1	1		
15-24	3C8-61180-0	ｴｷｿﾞｰｽﾄﾊｳｯｼﾞﾝｸﾞ Exhaust Housing	1	1		
15-25	3C8-61184-0	ﾎﾞﾙﾄ、8-30 Bolt, 8-30	4	4		50D2 # 62627～ 40D2 # 46723～
15-26	3C8-61181-1	ｴｷｿﾞｰｽﾄﾊｳｼﾞﾝｸﾞｶﾞｽｹｯﾄ Exhaust Housing Gasket	1	1		
15-27	3C8-61182-0	ｴｷｿﾞｰｽﾄﾊｳｼﾞﾝｸﾞｸﾞﾛﾒｯﾄ Exhaust Housing Grommet	1	1		


ギヤケース（ドライブシャフト）

Fig. 16　GEAR CASE (DRIVE SHAFT)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
16-1	3C8Q60000-0	ｷﾞﾔｹｰｽ Gear Case	1	1		for Transom "S", "L"
	3C8Q60090-0	ｷﾞﾔｹｰｽ (ｻﾌﾞｳｫｰﾀﾊﾟｲﾌﾟ付) Gear Case (with Sub Water Pipe)	1	1		for Transom "UL"
16-1-1	345-60211-0	ﾆｰﾄﾞﾙﾍﾞｱﾘﾝｸﾞ、22-30-30 * Needle Bearing, 22-30-30	1	1		
16-2	910113-5835	ﾎﾞﾙﾄ Bolt	6	6		
16-3	332-60005-2	ｵｲﾙﾌﾟﾗｸﾞ Oil Plug	2	2		
16-4	332-60006-0	ｶﾞｽｹｯﾄ、8.1-15-1 Gasket, 8.1-15-1	2	2		
16-5	3C8-60235-1	ｳｫｰﾀｽﾄﾚｰﾅｾｯﾄ Water Strainer Set	1 set	1 set		50D2 # 60851～ 40D2 # 44986～
16-5-1	921503-0438	ｽｸﾘｭ * Screw	1	1		
16-5-2	930403-0400	ﾅｲﾛﾝﾅｯﾄ、4-P0.7 * Nylon Nut, 4-P0.7	1	1		
16-6	3C8-60204-0	ｻﾌﾞｳｫｰﾀｽﾄﾚｰﾅ Sub Water Strainer	1	1		
16-7	910113-5616	ﾎﾞﾙﾄ Bolt	1	1		
16-8	3B7-60015-1	ｳｫｰﾀﾌﾟﾗｸﾞ Water Plug	1	1		
16-9	3B7-60016-1	ｶﾞｽｹｯﾄ、10.1-15-1 Gasket, 10.1-15-1	1	1		
16-10	3C8-64301-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄ S Drive Shaft "S"	1	1		for Transom "S"
	3C8-64302-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄ L Drive Shaft "L"	1	1		for Transom "L"
	3C8-64303-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄ UL Drive Shaft "UL"	1	1		for Transom "UL"
16-11	3C8-60213-0	ﾍﾞｱﾘﾝｸﾞ、6304 Bearing, 6304	2	2		
16-12	3C8-64327-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄｽﾌﾟﾘﾝｸﾞ Drive Shaft Spring	1	1		
16-13	3C8-64020-2	ﾍﾞﾍﾞﾙｷﾞﾔ B Bevel Gear "B"	1	1		#037940XC～
16-14	3C8-64027-0	ﾍﾞﾍﾞﾙｷﾞﾔ B ﾅｯﾄ Bevel Gear "B" Nut	1	1		
16-15	345-64081-0	ｼﾑ、41-51.5-0.1 Shim, 41-51.5-0.1	AR	AR		
	345-64082-0	ｼﾑ、41-51.5-0.15 Shim, 41-51.5-0.15	AR	AR		
	345-64083-0	ｼﾑ、41-51.5-0.3 Shim, 41-51.5-0.3	AR	AR		
	345-64084-0	ｼﾑ、41-51.5-0.5 Shim, 41-51.5-0.5	AR	AR		
16-16	3C8-65021-2	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗ Water Pump Impeller	1	1		50D2 # 62960～ 40D2 # 47226～
16-17	332-65022-0	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗｷｰ Water Pump Impeller Key	1	1		
16-18	3C8-65016-1	ﾎﾟﾝﾌﾟｹｰｽ (ｱｯﾊﾟ) Pump Case (Upper)	1	1		
16-19	3C8-65011-1	ﾎﾟﾝﾌﾟｹｰｽﾗｲﾅ Pump Case Liner	1	1		50D2 # 59260～ 40D2 # 43540～
16-20	3C8-65018-2	ﾎﾟﾝﾌﾟｹｰｽｶﾞｽｹｯﾄ (ｱｯﾊﾟ) Pump Case Gasket (Upper)	1	1		
16-21	3C8-65025-0	ｳｫｰﾀﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄ Water Pump Guide Plate	1	1		

ギヤケース（ドライブシャフト）
Fig. 16 GEAR CASE (DRIVE SHAFT)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
16-22	3C8-65029-2	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ Pump Guide Plate Gasket	1	1		
16-23	3C8-65017-1	ﾎﾟﾝﾌﾟｹｰｽ (ﾛﾜ) Pump Case (Lower)	1	1		
16-24	334-65012-0	ﾀﾞｳｴﾙﾋﾟﾝ、4-10 Dowel Pin, 4-10	2	2		
16-25	3C8-60223-0	ｵｲﾙｼｰﾙ、17-33-6 Oil Seal, 17-33-6	2	2		
16-26	3C8-64084-0	ｼﾑ、32.9-26-0.5 Shim, 32.9-26-0.5	1	1		
16-27	345-65015-0	O ﾘﾝｸﾞ、3.2-47 O-Ring, 3.2-47	1	1		
16-28	910113-5855	ﾎﾞﾙﾄ Bolt	4	4		
16-29	3C8-65014-0	ｳｫｰﾀﾊﾟｲﾌﾟｼｰﾙ (ﾛﾜ) Water Pipe Seal (Lower)	1	1		
16-30	3C8-65100-0	ｳｫｰﾀﾊﾟｲﾌﾟ S Water Pipe "S"	1	1		for Transom "S"
	3C8-65110-0	ｳｫｰﾀﾊﾟｲﾌﾟ L Water Pipe "L"	1	1		for Transom "L"
	3C8-65120-0	ｳｫｰﾀﾊﾟｲﾌﾟ UL Water Pipe "UL"	1	1		for Transom "UL"
16-31	345-65206-0	ｳｫｰﾀﾊﾟｲﾌﾟｼｰﾙ (ｱｯﾊﾟ) Water Pipe Seal (Upper)	1	1		
16-32	345-65205-0	ｶﾗｰ、18-20-4.5 Collar, 18-20-4.5	1	1		
16-33	346-65204-0	ｳｫｰﾀﾊﾟｲﾌﾟｵｰｸｼﾞｭｱﾘｰﾏｳﾝﾄ Water Pipe Auxiliary Mount	1	1		Water pipe locking rubber
16-34	3C8-66011-0	ｸﾗｯﾁｶﾑ Clutch Cam	1	1		
16-35	951407-0312	ｽﾌﾟﾘｸﾞﾋﾟﾝ、3-12 Spring Pin, 3-12	2	2		
16-36	3C8-66012-0	ｶﾑﾛｯﾄﾞ S Cam Rod "S"	1	1		for Transom "S"
	3C8-66013-0	ｶﾑﾛｯﾄﾞ L Cam Rod "L"	1	1		for Transom "L"
	3C8-66014-0	ｶﾑﾛｯﾄﾞ UL Cam Rod "UL"	1	1		for Transom "UL"
16-37	3C8-66031-1	ｶﾑﾛｯﾄﾞﾌﾞｯｼﾝｸﾞ Cam Rod Bushing	1	1		
16-38	332-66021-0	O ﾘﾝｸﾞ、2.4-5.8 O-Ring, 2.4-5.8	1	1		
16-39	3C8-66032-0	O ﾘﾝｸﾞ、3.5-21.7 O-Ring, 3.5-21.7	1	1		
16-40	353-66024-0	ｽﾄｯﾊﾟ Stopper	1	1		
16-41	910103-6612	ﾎﾞﾙﾄ Bolt	1	1		
16-42	3C8-66241-0	ｼﾌﾄﾛｯﾄﾞｼﾞｮｲﾝﾄ Shift Rod Joint	1	1		
16-43	951403-0312	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3-12 Spring Pin, 3-12	2	2		

ギヤケース（プロペラシャフト）
Fig. 17　GEAR CASE (PROPELLER SHAFT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
17-1	345-60215-0	ﾍﾞｱﾘﾝｸﾞ、32007 Bearing, 32007	1	1		
17-2	3C8-64010-1	ﾍﾞﾍﾞﾙｷﾞﾔ A Bevel Gear "A"	1	1		
17-3	353-64036-0	ｼﾑ、36-44-0.3 Shim, 36-44-0.3	AR	AR		
	353-64037-0	ｼﾑ、36-44-0.15 Shim, 36-44-0.15	AR	AR		
	353-64038-0	ｼﾑ、36-44-0.1 Shim, 36-44-0.1	AR	AR		
17-4	3C8-64211-0	ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ Propeller Shaft	1	1		
17-5	3C8-64215-2	ｸﾗｯﾁ Clutch	1	1		#037940XC～
17-6	3C8-64217-0	ｸﾗｯﾁﾋﾟﾝ Clutch Pin	1	1		
17-7	3C8-64219-1	ｸﾗｯﾁﾋﾟﾝｽﾅｯﾌﾟ Clutch Pin Snap	1	1		
17-8	3C8-64221-0	ｸﾗｯﾁｽﾌﾟﾘﾝｸﾞ Clutch Spring	1	1		
17-9	3C8-64222-0	ｸﾗｯﾁｽﾌﾟﾘﾝｸﾞﾘﾃｰﾅ Clutch Spring Retainer	1	1		50D # 52260～ 40D # 35242～
17-10	965002-0803	ｽﾁｰﾙﾎﾞｰﾙ、3/8 Steel Ball, 3/8	1	1		
17-11	3C8-64223-1	ｸﾗｯﾁﾌﾟｯｼｭﾛｯﾄﾞ Clutch Push Rod	1	1		
17-12	3C8Q60101-0	ﾌﾟﾛﾍﾟﾗｼｬﾌﾄﾊｳｼﾞﾝｸﾞ Propeller Shaft Housing	1	1		
17-13	345-60211-0	ﾆｰﾄﾞﾙﾍﾞｱﾘﾝｸﾞ、22-30-30 Needle Bearing, 22-30-30	1	1		
17-14	334-60223-0	ｵｲﾙｼｰﾙ、22-36-10 Oil Seal, 22-36-10	1	1		
17-15	9601-0-6007	ﾎﾞｰﾙﾍﾞｱﾘﾝｸﾞ、6007 Ball Bearing, 6007	1	1		
17-16	345-60103-0	O ﾘﾝｸﾞ、3.53-69.44 O-Ring, 3.53-69.44	1	1		
17-17	3C8-64030-0	ﾍﾞﾍﾞﾙｷﾞﾔ C Bevel Gear "C"	1	1		
17-18	345-64032-0	ﾜｯｼｬ、22.1-28-3 Washer, 22.1-28-3	1	1		
17-19	3C8-60108-0	ﾎﾞﾙﾄ、6-25 ﾌﾟﾚｺｰﾄ Bolt, 6-25 Pre-coated	2	2		50D # 52569～ 40D # 35343～
17-20	940113-0600	ﾜｯｼｬ Washer	2	2		
17-21	3C8-64231-0	ｽﾗｽﾄﾎﾙﾀﾞ Thrust Holder	1	1		
17-22	348W64108-0	ﾌﾟﾛﾍﾟﾗ 7 (4×290×180) Propeller 7 (4×11.4×7.1)	1	1		
	3T5W64518-0	ﾌﾟﾛﾍﾟﾗ 9 (3×307×229) Propeller 9 (3×12.1×9.0)	1	1		
	3T5W64523-0	ﾌﾟﾛﾍﾟﾗ 11 (3×295×279) Propeller 11 (3×11.6×11.0)	1	1		
	3T5W64525-0	ﾌﾟﾛﾍﾟﾗ 12 (3×290×305) Propeller 12 (3×11.4×12.0)	1	1		
	3T5W64527-0	ﾌﾟﾛﾍﾟﾗ 13 (3×282×330) Propeller 13 (3×11.1×13.0)	1	1		
	3T5W64529-0	ﾌﾟﾛﾍﾟﾗ 14 (3×282×356) Propeller 14 (3×11.1×14.0)	1	1		
	3T5W64532-0	ﾌﾟﾛﾍﾟﾗ 15 (3×279×381) Propeller 15 (3×11.0×15.0)	1	1		

ｷﾞﾔｹｰｽ (ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ)
Fig. 17　GEAR CASE (PROPELLER SHAFT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
17-23	348-64232-0	ﾌﾟﾛﾍﾟﾗｽﾄｯﾊﾟ Propeller Stopper	1	1		
17-24	345-64124-0	ﾜｯｼｬ、12.5-32-2.5 Washer, 12.5-32-2.5	1	1		
17-25	353-64121-0	ﾌﾟﾛﾍﾟﾗﾅｯﾄ Propeller Nut	1	1		
17-26	951503-0325	ｽﾌﾟﾘｯﾄﾋﾟﾝ、3-25 Split Pin, 3-25	1	1		
17-27	3C8-60217-1	ﾄﾘﾑﾀﾌﾞ Trim Tab	1	1		
17-28	910103-5620	ﾎﾞﾙﾄ Bolt	1	1		

シフト
Fig. 18 SHIFT





Fig. 23-1

Fig.16-42

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
18-1	3C8-66211-0	ｼﾌﾄﾛｯﾄﾞ Shift Rod	1	1		
18-2	3C8-66225-0	ｼﾌﾄﾛｯﾄﾞﾚﾊﾞｰ Shift Rod Lever	1	1		
18-3	3C8-66122-1	ｼﾌﾄｱｰﾑ Shift Arm	1	1		
18-4	350-67101-0	ｼﾌﾄﾚﾊﾞｰｼｬﾌﾄﾌﾞｯｼﾝｸﾞ Shift Lever Shaft Bushing	2	2		
18-5	941403-1200	ｳｴｰﾌﾞﾜｯｼｬ、d=12 Wave Washer, d=12	1	1		
18-6	951703-0800	ｽﾅｯﾌﾟﾘﾃｰﾅ、d=8 Snap Retainer, d=8	1	1		
18-7	3C8-66112-0	ｼﾌﾄﾚﾊﾞｰｽﾄｯﾊﾟ Shift Lever Stopper	1	1		
18-8	910114-0610	ﾎﾞﾙﾄ Bolt	1	1		
18-9	3C8-66116-0	ｼﾌﾄﾚﾊﾞｰｽﾄｯﾊﾟﾌﾟﾚｰﾄ Shift Lever Stopper Plate	1	1		
18-10	3C8-66135-0	ｼﾌﾄｼｬﾌﾄ Shift Shaft	1	1		
18-11	3AA-83719-0	ﾜｯｼｬ、8.5-18-1.6 Washer, 8.5-18-1.6	1	1		
18-12	951703-0800	ｽﾅｯﾌﾟﾘﾃｰﾅ、d=8 Snap Retainer, d=8	1	1		
18-13	3B7-83715-1	ｹｰﾌﾞﾙｼﾞｮｲﾝﾄ Cable Joint	1	1		for "P" type
18-14	3AA-83719-0	ﾜｯｼｬ、8.5-18-1.6 Washer, 8.5-18-1.6	1	1		
18-15	951603-0800	ｽﾅｯﾌﾟﾋﾟﾝ、d=8 Snap Pin, d=8	1	1		
18-16	3E3-66110-0	ｼﾌﾄﾚﾊﾞｰ Shift Lever	1	1		
18-17	338-67147-0	ｼｰﾙﾘﾝｸﾞ Seal Ring	1	1		for "F" type
18-18	940103-0600	ﾜｯｼｬ Washer	1	1		or 940113-0600

ブラケット (1) マニュアルチルト


Fig. 19 BRACKET (1) MANUAL TILT



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
19-1	3C8Q62112-0	ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ (ﾗｲﾄ) Clamp Bracket (Right)	1	1		Stern bracket (Right) Starboard
19-2	3C8Q62113-0	ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ (ﾚﾌﾄ) Clamp Bracket (Left)	1	1		Stern bracket (Left) Port
19-3	346-62191-0	ｽｲﾍﾞﾙﾌﾞﾗｹｯﾄｼｬﾌﾄ Swivel Bracket Shaft	1	1		Bracket bolt
19-4	346-62124-1	ﾅｲﾛﾝﾅｯﾄ、7/8 Nylon Nut, 7/8	1	1		
19-5	349-62126-0	ﾌﾞﾗｹｯﾄｼｬﾌﾄﾌﾞｯｼﾝｸﾞ Bracket Shaft Bushing	2	2		
19-6	3C8-62132-0	ﾌﾞｯｼﾝｸﾞ、22-25-35.5 Bushing, 22-25-35.5	1	1		
19-7	346-62127-0	ﾌﾞﾗｹｯﾄｼｬﾌﾄｷｬｯﾌﾟ Bracket Shaft Cap	2	2		for “F” type
19-8	3C8-62117-1	ﾃﾞｨｽﾀﾝｽﾋﾟｰｽ Distance Piece	1	1		
19-9	3C8-62120-1	ﾎﾞﾙﾄ、8-170 Bolt, 8-170	1	1		
19-10	940113-0800	ﾜｯｼｬ Washer	1	1		
19-11	930113-0800	ﾅｯﾄ Nut	1	1		
19-12	3C8-62121-1	ｽﾗｽﾄﾛｯﾄﾞ Thrust Rod	1	1		
19-13	345-62122-2	ｽﾗｽﾄﾛｯﾄﾞｽﾌﾟﾘﾝｸﾞ Thrust Rod Spring	1	1		
19-14	3C8Q62100-1	ｸﾗﾝﾌﾟｽｸﾘｭｱｯｼ Clamp Screw Ass'y	2	2		
19-14-1	3E3-62103-0	ｸﾗﾝﾌﾟｽｸﾘｭ * Clamp Screw	2	2		
19-14-2	332Q62102-1	ｸﾗﾝﾌﾟｽｸﾘｭﾊﾝﾄﾞﾙ * Clamp Screw Handle	2	2		
19-14-3	3C8-62104-1	ﾘﾍﾞｯﾄ、3-22 * Rivet, 3-22	2	2		
19-15	332-62101-0	ｸﾗﾝﾌﾟｽｸﾘｭﾊﾟｯﾄﾞ Clamp Screw Pad	2	2		
19-16	3C8Q62310-2	ｽｲﾍﾞﾙﾌﾞﾗｹｯﾄ Swivel Bracket	1	1		50D2 # 62427～ 40D2 # 46567～
19-17	3C8Q62010-2	ｽﾃｱﾘﾝｸﾞｼｬﾌﾄ Steering Shaft	1	1		50D2 # 64301～ 40D2 # 48962～
19-18	345-62417-0	ﾌﾞｯｼﾝｸﾞ、26-32 Bushing, 26-32	2	2		50D # 54211～ 40D # 38314～
19-19	345-62441-0	ﾌﾞﾗｹｯﾄﾌﾘｸｼｮﾝﾌﾟﾚｰﾄ Bracket Friction Plate	1	1		
19-20	910113-0830	ﾎﾞﾙﾄ Bolt	1	1		or 910103-0830
19-21	346-62421-1	ﾌﾘｸｼｮﾝﾌﾟﾚｰﾄｽﾌﾟﾘﾝｸﾞ Friction Plate Spring	1	1		
19-22	3A0-62423-2	ｽﾗｽﾄﾌﾟﾚｰﾄ、27-50-1 Thrust Plate, 27-50-1	1	1		50D2 # 62427～ 40D2 # 46567～
19-23	346-62424-1	ｽﾗｽﾄﾌﾟﾚｰﾄ、26.5-46-1 Thrust Plate, 26.5-46-1	1	1		
19-24	345-62415-0	O ﾘﾝｸﾞ、3.5-25.7 O-Ring, 3.5-25.7	1	1		50D # 54211～ 40D # 38314～
19-25	945103-2500	C ﾘﾝｸﾞ、d=25 C-Ring, d=25	1	1		
19-26	344-67177-0	ｸﾞﾘｽﾆｯﾌﾟﾙ Grease Fitting	1	1		
19-27	940103-0600	ﾜｯｼｬ Washer	1	1		

ブラケット (1) マニュアルチルト

Fig. 19 BRACKET (1) MANUAL TILT




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
19-29	3C8-61302-0	ラバーマウント (ロワ) Rubber Mount (Lower)	2	2		
19-30	3C8Q61411-2	マウントブラケット Mount Bracket	1	1		(50D2 # 62427～Silver gray (40D2 # 46567～Silver gray
19-31	3C8-61336-0	ダンパ (ロワ) Damper (Lower)	1	1		
19-32	3C8-61321-1	ラバーマウントボルト (ロワ) Rubber Mount Bolt (Lower)	2	2		
19-33	353-61334-0	ワッシャ、13-34-3 Washer, 13-34-3	2	2		
19-34	3C7-61338-0	ラバーダンパ、21-36-5 Rubber Damper, 21-36-5	2	2		
19-35	930403-1200	ナイロンナット、12-P1.75 Nylon Nut, 12-P1.75	2	2		
19-36	940213-1200	ワッシャ Washer	4	4		or 940203-1200
19-37	3C8Q61342-0	マウントホールディングプレート (ロワ) Mount Holding Plate (Lower)	2	2		Rubber mount cap (Lower)
19-38	910103-5620	ボルト Bolt	4	4		
19-39	3C8-62396-1	アースワイヤ Ground Cable	1	1		L=210
19-40	398-62396-1	アースワイヤ Ground Cable	1	1		L=130
19-41	910113-5612	ボルト Bolt	2	2		
19-42	3E3-61301-1	ラバーマウント (アッパ) Rubber Mount (Upper)	2	2		
19-43	353-61307-0	ラバーマウントボルト (アッパ) Rubber Mount Bolt (Upper)	2	2		
19-44	3E3-61333-0	ダンパ (アッパ) Damper (Upper)	2	2		
19-45	3E3-61335-0	ロックプレート (アッパ) Lock Plate (Upper)	1	1		
19-46	3C8Q61341-0	マウントホールディングプレート (アッパ) Mount Holding Plate (Upper)	1	1		Rubber mount cap (Upper)
19-47	910113-5835	ボルト Bolt	3	3		
19-48	3B7-60218-1	アノード Anode	1	1		
19-49	910103-5635	ボルト Bolt	1	1		
19-50	3C7-60218-2	アノード Anode	1	1		
19-51	910103-6630	ボルト Bolt	2	2		Option
19-52	3A3-62396-1	アースワイヤ Ground Cable	1	1		L=110
19-53	910103-5612	ボルト Bolt	1	1		

ブラケット (2) パワートリム & チルト (新)

Fig. 20 BRACKET (2) POWER TRIM & TILT (New)

#030294XC～




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
20-1	3Z5Q77211-0	ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ (ﾗｲﾄ) Clamp Bracket (Right)	1	1		Stern bracket (Right) Starboard
20-2	3Z5Q77212-0	ｸﾗﾝﾌﾟﾌﾞﾗｹｯﾄ (ﾚﾌﾄ) Clamp Bracket (Left)	1	1		Stern bracket (Left) Port
20-3	3AD-62191-0	ｽｲﾍﾞﾙﾌﾞﾗｹｯﾄｼｬﾌﾄ Swivel Bracket Shaft	1	1		Bracket bolt
20-4	346-62124-1	ﾅｲﾛﾝﾅｯﾄ、7/8 Nylon Nut, 7/8	1	1		
20-5	3C8-77213-0	ﾌﾞﾗｹｯﾄｼｬﾌﾄﾌﾞｯｼﾝｸﾞ Bracket Shaft Bushing	2	2		
20-6	346-62127-0	ﾌﾞﾗｹｯﾄｼｬﾌﾄｷｬｯﾌﾟ Bracket Shaft Cap	2	2		for "F" type
20-7	3R0-77118-0	ｽﾗｽﾄﾛｯﾄﾞ Thrust Rod	1	1		
20-8	951603-1000	ｽﾅｯﾌﾟﾋﾟﾝ、d=10 Snap Pin, d=10	1	1		
20-9	3C8-77214-0	ｸﾗﾝﾌﾟｽｸﾘｭ Clamp Screw	2	2		
20-10	332-62101-0	ｸﾗﾝﾌﾟｽｸﾘｭﾊﾟｯﾄﾞ Clamp Screw Pad	2	2		
20-11	3Z5Q77215-0	ｽｲﾍﾞﾙﾌﾞﾗｹｯﾄ (ﾊﾟﾜｰﾄﾘﾑ & ﾁﾙﾄ) Swivel Bracket (Power Trim & Tilt)	1	1		
20-12	3Z5Q62010-0	ｽﾃｱﾘﾝｸﾞｼｬﾌﾄ Steering Shaft	1	1		
20-13	353-62417-0	ﾌﾞｯｼﾝｸﾞ、30-36-41 Bushing, 30-36-41	2	2		
20-14	345-62441-0	ﾌﾘｸｼｮﾝﾌﾟﾚｰﾄ Friction Plate	1	1		
20-15	910113-0830	ﾎﾞﾙﾄ Bolt	1	1		
20-16	346-62421-1	ﾌﾘｸｼｮﾝﾌﾟﾚｰﾄｽﾌﾟﾘﾝｸﾞ Friction Plate Spring	1	1		
20-17	353-62423-1	ｽﾗｽﾄﾌﾟﾚｰﾄ Thrust Plate	2	2		
20-18	353-62415-0	O ﾘﾝｸﾞ、3.5-29.7 O-Ring, 3.5-29.7	1	1		
20-19	945103-2800	C ﾘﾝｸﾞ、d=28 C-Ring, d=28	1	1		
20-20	344-67177-0	ｸﾞﾘｽﾆｯﾌﾟﾙ Grease Fitting	3	3		
20-21	3C8-61302-0	ﾗﾊﾞｰﾏｳﾝﾄ (ﾛﾜ) Rubber Mount (Lower)	2	2		
20-22	3Z5Q61411-0	ﾏｳﾝﾄﾌﾞﾗｹｯﾄ Mount Bracket	1	1		
20-23	3C8-61336-0	ﾀﾞﾝﾊﾟ (ﾛﾜ) Damper (Lower)	1	1		
20-24	3C8-61321-1	ﾗﾊﾞｰﾏｳﾝﾄﾎﾞﾙﾄ (ﾛﾜ) Rubber Mount Bolt (Lower)	2	2		
20-25	353-61334-0	ﾜｯｼｬ、13-34-3 Washer, 13-34-3	2	2		
20-26	3C7-61338-0	ﾗﾊﾞｰﾀﾞﾝﾊﾟ、21-36-5 Rubber Damper, 21-36-5	2	2		
20-27	930403-1200	ﾅｲﾛﾝﾅｯﾄ、12-P1.75 Nylon Nut, 12-P1.75	2	2		
20-28	940213-1200	ﾜｯｼｬ Washer	4	4		
20-29	3C8Q61342-0	ﾏｳﾝﾄﾎｰﾙﾃﾞｨﾝｸﾞﾌﾟﾚｰﾄ (ﾛﾜ) Mount Holding Plate (Lower)	2	2		Rubber mount cap (Lower)
20-30	910103-5620	ﾎﾞﾙﾄ Bolt	4	4		

ブラケット (2) パワートリム & チルト (新)

Fig. 20 BRACKET (2) POWER TRIM & TILT (New)

#030294XC～




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
20-31	3C8-62396-1	ｱｰｽﾜｲﾔ Ground Cable	1	1		L=210
20-32	398-62396-1	ｱｰｽﾜｲﾔ Ground Cable	2	2		L=130
20-33	910103-5612	ﾎﾞﾙﾄ Bolt	2	2		
20-34	3E3-61301-1	ﾗﾊﾞｰﾏｳﾝﾄ (ｱｯﾊﾟ) Rubber Mount (Upper)	2	2		
20-35	353-61307-0	ﾗﾊﾞｰﾏｳﾝﾄﾎﾞﾙﾄ (ｱｯﾊﾟ) Rubber Mount Bolt (Upper)	2	2		
20-36	3E3-61333-0	ﾀﾞﾝﾊﾟｰ (ｱｯﾊﾟ) Damper (Upper)	2	2		
20-37	3E3-61335-0	ﾛｯｸﾌﾟﾚｰﾄ (ｱｯﾊﾟ) Lock Plate (Upper)	1	1		
20-38	3C8Q61341-0	ﾏｳﾝﾄﾎｰﾙﾃﾞｨﾝｸﾞﾌﾟﾚｰﾄ (ｱｯﾊﾟ) Mount Holding Plate (Upper)	1	1		Rubber mount cap (Upper)
20-39	910113-5835	ﾎﾞﾙﾄ Bolt	3	3		
20-40	3C7-60218-2	ｱﾉｰﾄﾞ Anode	1	1		
20-41	910103-6630	ﾎﾞﾙﾄ Bolt	2	2		
20-42	3Z5Q62470-1	ﾁﾙﾄｽﾄｯﾊﾟ (PTT) Tilt Stopper (PTT)	1	1		
20-42-1	951403-3516	* ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3.5-16 Spring Pin, 3.5-16	1	1		
20-42-2	369-62433-1	* ﾁﾙﾄｽﾄｯﾊﾟｸﾞﾘｯﾌﾟ Tilt Stopper Grip	1	1		
20-43	353-63207-0	ｶﾗｰ、10.2-12-12 Collar, 10.2-12-12	2	2		
20-44	3R0-62473-0	ﾁﾙﾄｽﾄｯﾊﾟｽﾌﾟﾘﾝｸﾞ (PTT) Tilt Stopper Spring (PTT)	1	1		
20-45	3E5Q77150-0	ﾊﾟﾜｰﾄﾘﾑ & ﾁﾙﾄ Power Trim & Tilt	1	1		
20-46	3R0-77071-0	ｼﾘﾝﾀﾞﾋﾟﾝ (ｱｯﾊﾟ) Cylinder Pin (Upper)	1	1		
20-47	3R0-77075-0	ﾌﾞｯｼﾝｸﾞ、13-16-40 Bushing, 13-16-40	1	1		
20-48	3R0-77076-0	ﾌﾞｯｼﾝｸﾞ、13-17-19.5 Bushing, 13-17-19.5	2	2		
20-49	910113-0612	ﾎﾞﾙﾄ Bolt	1	1		
20-50	345-05122-0	ﾜｯｼｬ､6.5-23-1.5 Washer, 6.5-23-1.5	1	1		
20-51	3R0-77101-0	ｼﾘﾝﾀﾞﾋﾟﾝ (ﾛﾜ) Cylinder Pin (Lower)	1	1		
20-52	3C8-77076-1	ﾌﾞｯｼﾝｸﾞ、18-24-22 Bushing, 18-24-22	5	5		
20-53	3Z5-77103-0	ﾌﾞｯｼﾝｸﾞ、18-24-60 Bushing, 18-24-60	1	1		
20-54	3R0-77112-0	ﾜｯｼｬ、18.2-34-1 Washer, 18.2-34-1	2	2		
20-55	945103-1800	C ﾘﾝｸﾞ、d=18 C-Ring, d=18	2	2		
20-56	336-06973-0	ｸﾗﾝﾌﾟ、6-9.5L Clamp, 6-9.5L	1	1		
20-57	345-06915-0	ｸﾗﾝﾌﾟ、6-14L Clamp, 6-14L	1	1		
20-58	921503-5612	ｽｸﾘｭ Screw	2	2		

ブラケット (2) パワートリム & チルト (新)

Fig. 20 BRACKET (2) POWER TRIM & TILT (New)


#030294XC～



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
20-59	910103-5612	ﾎﾞﾙﾄ Bolt	1	1		
20-60	3Z5-72574-0	ﾄﾘﾑｾﾝｻ Trim Sensor	1	1		L=1700
20-61	910103-0620	ﾎﾞﾙﾄ Bolt	2	2		
20-62	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 Washer, 6-16-1.5	2	2		
20-63	336-06973-0	ｸﾗﾝﾌﾟ、6-9.5L Clamp, 6-9.5L	1	1		for "P" type
20-64	921503-5612	ｽｸﾘｭ Screw	1	1		
20-65	3C7-62133-2	ﾎﾞﾙﾄ、12-P1.25 Bolt, 12-P1.25	4	4		L=105
20-66	353-61334-0	ﾜｯｼｬ、13-34-3 Washer, 13-34-3	4	4		
20-67	940113-1200	ﾜｯｼｬ Washer	4	4		or 940103-1200
20-68	3C7-62139-1	ﾅｯﾄ、12-P1.25 Nut, 12-P1.25	4	4		
20-69	3F3-72573-1	ｴｸｽﾃﾝｼｮﾝｺｰﾄﾞ(ﾄﾘﾑｾﾝｻ) Extension Cord (Trim Sensor)	1	1		for "P" type L=6000

マニュアルチルト (M タイプ)

Fig. 21 MANUAL TILT (M Type)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
21-1	3C8Q62993-2	ﾁﾙﾄｽﾄｯﾊﾟ Tilt Stopper	1	1		
21-2	346-62437-0	ﾌﾞｯｼﾝｸﾞ、10.2-12-29.5 Bushing, 10.2-12-29.5	1	1		
21-3	346-62439-1	ﾁﾙﾄｽﾄｯﾊﾟｾｯﾄﾌﾟﾚｰﾄ Tilt Stopper Setting Plate	1	1		
21-4	910113-5820	ﾎﾞﾙﾄ Bolt	2	2		
21-5	3C8-62421-1	ﾁﾙﾄｽﾄｯﾊﾟﾌﾘｸｼｮﾝｽﾌﾟﾘﾝｸﾞ Tilt Stopper Friction Spring	1	1		
21-6	346-62438-0	ｾｯﾄﾋﾟｰｽ Set Piece	1	1		
21-7	951403-0425	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、4-25 Spring Pin, 4-25	1	1		
21-8	3E3-62141-0	ﾁﾙﾄｽｱｼｽﾀﾝﾄｽﾌﾟﾘﾝｸﾞ R Tilt Assistant Spring "R"	1	1		Old part no. 3C8-62142-0
21-9	3E3-62142-0	ﾁﾙﾄｽｱｼｽﾀﾝﾄｽﾌﾟﾘﾝｸﾞ L Tilt Assistant Spring "L"	1	1		Old part no. 3C8-62141-0
21-10	3C8-62143-0	ﾁﾙﾄｱｼｽﾀﾝﾄｼｬﾌﾄ Tilt Assistant Shaft	1	1		
21-11	3C8-66351-2	ﾘﾊﾞｰｽﾛｯｸ R Reverse Lock "R"	1	1		
21-12	3C8-66352-2	ﾘﾊﾞｰｽﾛｯｸ L Reverse Lock "L"	1	1		
21-13	3C8-66313-4	ﾘﾊﾞｰｽﾛｯｸｱｰﾑ Reverse Lock Arm	1	1		
21-14	3C8-66319-1	ﾘﾊﾞｰｽﾛｯｸｼｬﾌﾄ Reverse Lock Shaft	1	1		
21-15	945303-0600	E ﾘﾝｸﾞ、d=6 E-Ring, d=6	2	2		
21-16	3C8-66321-0	ﾘﾊﾞｰｽﾛｯｸﾛｯﾄﾞ Reverse Lock Rod	1	1		
21-17	951503-0212	ｽﾌﾟﾘｯﾄﾋﾟﾝ、2-12 Sprit Pin, 2-12	1	1		
21-18	3C8-66331-2	ﾘﾊﾞｰｽﾛｯｸｽﾌﾟﾘﾝｸﾞ S Reverse Lock Spring "S"	2	2		for Transom "S"
	3C8-66332-2	ﾘﾊﾞｰｽﾛｯｸｽﾌﾟﾘﾝｸﾞ L Reverse Lock Spring "L"	2	2		for Transom "L", "UL"
21-19	3E3-62436-0	ﾁﾙﾄｽﾄｯﾊﾟﾚﾊﾞｰ Tilt Stopper Lever	1	1		50D # 53152～ 40D # 35834～
21-20	3C8-66314-3	ﾘﾊﾞｰｽﾛｯｸﾚﾊﾞｰｼｬﾌﾄ Reverse Lock Lever Shaft	1	1		
21-21	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 Washer, 6-16-1.5	1	1		
21-22	940103-0600	ﾜｯｼｬ Washer	3	3		or 940113-0600
21-23	3C8-66318-1	ﾘﾝｸ B Link "B"	1	1		
21-24	3C8-66336-0	ｽﾌﾟﾘｸﾞ B Spring "B"	1	1		
21-25	346-66333-0	ｸﾞﾘｯﾌﾟ Grip	1	1		
21-26	346-66334-0	ｸﾞﾘｯﾌﾟｽﾄｯﾊﾟ Grip Stopper	1	1		

パワートリム & チルト (新)

Fig. 22 POWER TRIM & TILT (New)


#030294XC～



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
22-1	3E5-77180-0	ﾓｰﾀ Motor	1	1		L=1850
22-1-2	3E5-77192-0	ﾓｰﾀﾌﾞﾗｹｯﾄｱｯｼ * Motor Bracket Ass'y	1	1		
22-1-2-1	3Z5-77182-0	O ﾘﾝｸﾞ、2-55.5 ** O-Ring, 2-55.5	1	1		
22-1-3	921503-0520	ｽｸﾘｭ * Screw	3	3		
22-2	3Z5-77166-0	ｶｯﾌﾟﾘﾝｸﾞ Coupling	1	1		
22-3	3B7-77167-0	O ﾘﾝｸﾞ、1.8-69.6 O-Ring, 1.8-69.6	1	1		
22-4	3Z5-77194-0	ｽｸﾘｭ Screw	4	4		
22-5	3Z5-77460-0	ﾊﾞﾙﾌﾞｱｯｼ Valve Ass'y	1	1		
22-6	3Z5-77450-0	ﾘﾘｰﾌﾊﾞﾙﾌﾞｱｯｼ Relief Valve Ass'y	1	1		
22-7	3B7-77430-0	ﾎﾟﾝﾌﾟ Pump	1	1		
22-8	3B7-77431-1	ﾎﾞﾙﾄ Bolt	1	1		
22-9	3B7-77432-1	ﾎﾞﾙﾄ Bolt	2	2		
22-10	3B7-77433-0	O ﾘﾝｸﾞ、1.5-6.5 O-Ring, 1.5-6.5	2	2		
22-11	3B7-77434-1	ﾌｨﾙﾀ Filter	1	1		
22-12	3Z5-77165-0	ﾘｻﾞｰﾌﾞﾀﾝｸ Reservoir Tank	1	1		
22-13	3Z5-77159-0	ﾎﾞﾙﾄ Bolt	4	4		
22-14	3Z5-77221-0	ｷｬｯﾌﾟｱｯｼ Cap Ass'y	1	1		
22-15	3Z5-77175-0	ﾏﾆｭｱﾙﾊﾞﾙﾌﾞｱｯｼ Manual Valve Ass'y	1	1		
22-16	3R0-77173-0	ｼｰﾙﾜｯｼｬ Seal Washer	1	1		
22-17	3Z5-77171-0	C ﾘﾝｸﾞ C-Ring	1	1		
22-18	3Z5-77367-0	ｼﾞｮｲﾝﾄﾒﾀﾙ Joint Metal	1	1		
22-19	3Z5-77225-0	O ﾘﾝｸﾞｾｯﾄ O-Ring Set	1 set	1 set		

ボトムカウル（モーターカバーロワ）


Fig. 23　BOTTOM COWL (MOTOR COVER LOWER)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
23-1	3C8Q67100-0	ﾎﾞﾄﾑｶｳﾙ Bottom Cowl	1	1		Motor cover (Lower)
23-2	346-67113-0	ﾗﾊﾞｰﾏｳﾝﾄ、8.5-14-2.5 Rubber Mount, 8.5-14-2.5	8	8		
23-3	346-67114-0	ｽﾍﾟｰｻ、6.2-9-15.7 Spacer, 6.2-9-15.7	4	4		
23-4	910113-0630	ﾎﾞﾙﾄ Bolt	4	4		
23-5	346-67115-0	ﾜｯｼｬ、6.5-21-1 Washer, 6.5-21-1	4	4		
23-7	3C8Q67141-0	ﾌｯｸﾚﾊﾞｰ Hook Lever	1	1		
23-8	338-67147-0	ﾌｯｸﾚﾊﾞｰｼｰﾙﾘﾝｸﾞ Hook Lever Seal Ring	1	1		
23-9	369-67105-0	ﾌｯｸﾚﾊﾞｰﾌﾞｯｼﾝｸﾞ Hook Lever Bushing	1	1		
23-10	3C8-67146-0	ﾜｯｼｬ、14-22-1 Washer, 14-22-1	1	1		
23-11	941403-1400	ｳｪｰﾌﾞﾜｯｼｬ、d=14 Wave Washer, d=14	1	1		
23-12	3C8-67142-1	ｶﾊﾞｰﾌｯｸ Cover Hook	1	1		
23-13	910114-0612	ﾎﾞﾙﾄ Bolt	1	1		
23-14	941303-0600	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	1	1		
23-15	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 Washer, 6-16-1.5	1	1		
23-16	345-66226-0	ｸﾞﾛﾒｯﾄ、17-3 Grommet, 17-3	1	1		
23-17	345-76092-0	ﾒｲﾝｽｲｯﾁｸﾞﾛﾒｯﾄ Main Switch Grommet	1	1		for Manual starting type and "P" type
23-18	3B7-01046-0	ﾌﾟﾗｸﾞ Plug	1	1		
23-20	3C8-83732-0	ﾘﾓｰﾄｺﾝﾄﾛｰﾙｹｰﾌﾞﾙｸﾞﾛﾒｯﾄ Remote Control Cable Grommet	1	1		
23-21	3C8-76116-1	ｸﾞﾛﾒｯﾄ、ｺｰﾄﾞ Grommet, Cord	1	1		for "P" type
23-22	345-67117-0	ｸﾞﾛﾒｯﾄ、17-2.7 Grommet, 17-2.7	1	1		
23-23	3C8-83820-0	ﾘﾓｰﾄｺﾝﾄﾛｰﾙｹｰﾌﾞﾙﾌﾞﾗｹｯﾄ Remote Control Cable Bracket	1	1		
23-24	3C8-83821-0	ｽｸﾘｭ、4-20 P0.5 Screw, 4-20 P0.5	1	1		
23-25	941303-0400	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ Spring Washer	1	1		for "P" type
23-26	910113-5616	ﾎﾞﾙﾄ Bolt	2	2		
23-27	3C8-06820-0	ｽﾄｯﾌﾟｽｲｯﾁ Stop Switch	1	1		
23-27-1	360-06848-0	ｽﾄｯﾌﾟｽｲｯﾁﾛｯｸ (ﾛｰﾌﾟ付) * Stop Switch Lanyard	1	1		
23-28	3C8-67162-0	ﾊﾞｯﾃﾘｺｰﾄﾞｸﾞﾛﾒｯﾄ Battery Cable Grommet	1	1		for "F" type
23-29	3C8-63621-0	ｽﾛｯﾄﾙﾜｲﾔｸﾞﾛﾒｯﾄ Throttle Cable Grommet	1	1		
	3C8-63624-0	ｽﾛｯﾄﾙﾎｰﾙｸﾞﾛﾒｯﾄ Throttle Hole Grommet	1	1		for "P" type
23-30	3C8-72613-0	PTT ｽｲｯﾁ B PTT Switch "B"	1	1		for "PTT" type

ボトムカウル（モーターカバーロワ）


Fig. 23　BOTTOM COWL (MOTOR COVER LOWER)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
23-31	910113-5612	ﾎﾞﾙﾄ Bolt	2	2		
23-32	338-67163-0	ｸﾞﾛﾒｯﾄ、18-2.5 Grommet, 18-2.5	1	1		for "PTT" type
23-33	3C8-72619-0	PTT ｽｲｯﾁｸﾞﾛﾒｯﾄ PTT Switch Grommet	1	1		
23-34	345-67117-0	ｸﾞﾛﾒｯﾄ、17-2.7 Grommet, 17-2.7	1	1		for Manual Tilt type
23-35	910121-0610	ﾎﾞﾙﾄ Bolt	2	2		
23-36	3C8-71040-0	ﾊﾟｲﾛｯﾄﾗﾝﾌﾟ Pilot Lamp	1	1		for Auto-mixing "F" type
23-37	3C8-76020-2	ﾒｲﾝｽｲｯﾁ (F ﾀｲﾌﾟ) Main Switch ("F" Type)	1	1		
23-37-1	3F3-76217-0	ﾒｲﾝｽｲｯﾁｷｰ (No.301) * Main Switch Key (No.301)	1 set	1 set		
	3F3-76218-0	ﾒｲﾝｽｲｯﾁｷｰ (No.302) * Main Switch Key (No.302)	1 set	1 set		for "EF" type
	3F3-76219-0	ﾒｲﾝｽｲｯﾁｷｰ (No.303) * Main Switch Key (No.303)	1 set	1 set		50D # 52547～ 40D # 35335～
23-38	3C8-76080-0	ﾆｭｰﾄﾗﾙｽｲｯﾁ Neutral Switch	1	1		
23-39	3B7-63731-0	ﾜｯｼｬ、12.5-24-1 Washer, 12.5-24-1	1	1		
23-40	309-06972-0	ｸﾗﾝﾌﾟ、6.5-47.5P Clamp, 6.5-47.5P	1	1		
23-41	910113-0610	ﾎﾞﾙﾄ Bolt	1	1		for "F" type
23-42	309-06972-0	ｸﾗﾝﾌﾟ、6.5-47.5P Clamp, 6.5-47.5P	1	1		
23-43	910113-0610	ﾎﾞﾙﾄ Bolt	1	1		for "PTT" type
23-44	332-72025-0	ｽﾊﾟｰｸﾌﾟﾗｸﾞﾃﾞｶﾙ Spark Plug Decal	-	1		
	360-72025-0	ｽﾊﾟｰｸﾌﾟﾗｸﾞﾃﾞｶﾙ Spark Plug Decal	1	-		
	361-72026-0	ｽﾊﾟｰｸﾌﾟﾗｸﾞﾃﾞｶﾙ (ﾚｼﾞｽﾀﾝｽ) Spark Plug Decal (with Resistance)	-	1		
	3A3-72026-0	ｽﾊﾟｰｸﾌﾟﾗｸﾞﾃﾞｶﾙ (ﾚｼﾞｽﾀﾝｽ) Spark Plug Decal (with Resistance)	1	-		
23-45	3C7-72030-0	ｲﾝﾀｰﾌｪｲｽﾃﾞｶﾙ Interference Decal	1	1		OPT
23-46	345-67117-0	ｸﾞﾛﾒｯﾄ、17-2.7 Grommet, 17-2.7	1	1		for "P" type "F" Premixing model
23-47	3B2-67187-0	ｽﾛｯﾄﾙｼｬﾌﾄｸﾞﾛﾒｯﾄ Throttle Shaft Grommet	1	1		

トップカウル（モーターカバーアッパ）


Fig. 24 TOP COWL (MOTOR COVER UPPER)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
24-1	3E3Q67510-4	ﾄｯﾌﾟｶｳﾙ (P ﾀｲﾌﾟ) Top Cowl ("P" Type)	1	1		Motor cover (Upper) UNIQUE
	3E3Q67500-4	ﾄｯﾌﾟｶｳﾙ (F ﾀｲﾌﾟ) Top Cowl ("F" Type)	1	1		Motor cover (Upper) UNIQUE
24-1-1	3F3-67501-0	ﾄｯﾌﾟｶｳﾙｼｰﾙ * Top Cowl Seal	1	1		
24-1-2	3E3Q67521-0	ﾁﾙﾄﾊﾝﾄﾞﾙ (P ﾀｲﾌﾟ) * Tilt Handle ("P" Type)	1	1		
	3C8Q67521-0	ﾁﾙﾄﾊﾝﾄﾞﾙ (F ﾀｲﾌﾟ) * Tilt Handle ("F" Type)	1	1		
24-1-3	930113-0600	ﾅｯﾄ * Nut	4	4		
24-1-4	3R0-66308-0	ﾜｯｼｬ、6-16-1.5 * Washer, 6-16-1.5	4	4		
24-1-5	3E3-67213-0	ﾌｨﾗﾘｯﾄﾞｼｰﾙ * Filler Lid Seal	1	1		
24-1-6	3E3Q67210-0	ﾌｨﾗﾘｯﾄﾞ * Filler Lid	1	1		
24-1-7	3B7-67211-0	ﾌｨﾗﾘｯﾄﾞﾋﾝｼﾞ * Filler Lid Hinge	1	1		
24-1-8	3C8-67212-0	ﾌｨﾗﾘｯﾄﾞｽﾌﾟﾘﾝｸﾞ * Filler Lid Spring	1	1		for "P" type
24-1-9	910103-0614	ﾎﾞﾙﾄ * Bolt	2	2		
24-1-10	930113-0600	ﾅｯﾄ * Nut	2	2		
24-1-11	344-67503-0	ｽﾀｰﾀｼｰﾙ * Starter Seal	1	1		for "F" type
24-1-12	3E3Q87801-2	ﾃﾞｶﾙｾｯﾄ * Decal Set	1 set	-		UNIQUE
	3C8Q87801-2	ﾃﾞｶﾙｾｯﾄ * Decal Set	-	1 set		
24-2	3C7-72180-2	ｺｰｼｮﾝﾃﾞｶﾙ A Caution Decal "A"	1	1		


セパレートフュエルタンク

Fig. 25 SEPARATE FUEL TANK



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
25-1	3C7-70177-0	ﾌｭｴﾙﾀﾝｸ (25L) Fuel Tank (25L)	1	1		UNIQUE
25-1-1	3C7-70050-0	ﾌｭｴﾙｹﾞｰｼﾞﾍﾞﾝﾃｨﾄﾞｷｬｯﾌﾟ * Fuel Gauge Vented Cap	1	1		
25-1-2	3C7-70021-0	ｷｬｯﾌﾟｶﾞｽｹｯﾄ * Cap Gasket	1	1		
25-1-3	3E0-70270-0	ﾒｲﾙｸｲｯｸｺﾈｸﾀ * Male Quick Connector	1	1		
25-1-4	3C7-70155-0	ﾌｭｴﾙﾋﾟｯｸｱｯﾌﾟｴﾙﾎﾞ * Elbow Tubing and Clamp Ass'y	1	1		
25-1-5	3C7-70199-0	O ﾘﾝｸﾞ * O-Ring	1	1		
25-1-6	3C7-70113-0	ﾌｨﾙﾀ * Filter	1	1		
25-2	3B7-70200-3	ﾌﾟﾗｲﾏﾊﾞﾙﾌﾞｱｯｼ Primer Bulb Ass'y	1	1		
25-2-1	98AB-7-1600	ｺﾞﾑﾎｰｽ * Rubber Hose	1	1		
25-2-2	3B2-70281-0	ﾌｭｴﾙｺﾈｸﾀ (ﾀﾝｸ、ﾌｨﾒｰﾙ) * Fuel Connector (Tank side, Female)	1	1		
25-2-3	98AB-7-0700	ｺﾞﾑﾎｰｽ * Rubber Hose	1	1		
25-2-4	332-70201-0	ｸﾗﾝﾌﾟ * Clamp	4	4		
25-2-5	3C7-70211-0	ﾌﾟﾗｲﾏﾊﾞﾙﾌﾞ * Primer Bulb	1	1		
25-2-6	3C7-70217-0	ｸﾗﾝﾌﾟ * Clamp	2	2		
25-2-7	3C7-70220-1	ｼﾞｮｲﾝﾄｱｯｼ (IN) * Joint Ass'y (Inlet)	1	1		
25-2-8	3C7-70224-1	ｼﾞｮｲﾝﾄｱｯｼ (OUT) * Joint Ass'y (Outlet)	1	1		
25-2-9	3B2-70250-1	ﾌｭｴﾙｺﾈｸﾀ (ｴﾝｼﾞﾝ、ﾌｨﾒｰﾙ) * Fuel Connector (Engine side, Female)	1	1		


アクセサリー
Fig. 26 ACCESSORIES



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
26-1	3B7Q84330-2	ﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽ (RC5A) Remote Control Box (RC5A)	1	1		for "P･PTT" type UNIQUE
	3B7Q84340-2	ﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽ (RC5B) Remote Control Box (RC5B)	1	1		for "P" type UNIQUE
26-2	3N8-72640-1	ﾀｺﾒｰﾀ (ｵｲﾙﾗﾝﾌﾟ付) Tachometer (with oil lamp)	1	1		
26-2-1	3B7-72658-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
26-2-2	3B7-72659-0	ｵｲﾙﾊﾞﾙﾌﾞ、12V-1.7W * Oil Bulb, 12V-1.7W	1	1		
26-2-3	3B7-72656-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		"P"･Auto-mixing model
26-2-4	3B7-72661-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
26-2-5	930203-0500	ﾅｯﾄ * Nut	2	2		
26-2-6	941303-0500	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
26-3	3A3-72537-0	ﾒｰﾀﾘｰﾄﾞﾜｲﾔ Meter Lead Cable	1	1		L=2000
26-4	353-76037-0	ｹｰﾌﾞﾙﾀｰﾐﾅﾙﾌﾟﾗｸﾞ Cable Terminal Plug	1	1		for "P" type
26-5	3E0-72571-0	ﾄﾘﾑﾒｰﾀ Trim Meter	1	1		
26-5-1	3B7-72659-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
26-5-2	3B7-72655-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
26-5-3	3B7-72665-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
26-5-4	3B7-72666-0	ｲﾝｼｭﾚｰﾃｯﾄﾞﾜｯｼｬ * Insulated Washer	2	2		for "P･PTT" type
26-5-5	940103-0400	ﾜｯｼｬ * Washer	2	2		
26-5-6	941303-0400	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
26-5-7	930203-0400	ﾅｯﾄ * Nut	2	2		
26-6	3C8-72100-1	ﾂｰﾙ Tool	1	1		
26-7	3B7-72201-0	ﾛｰﾌﾟ Rope	1	1		φ6-1600
26-8	3B7-60007-0	ﾌﾗｯｼﾝｸﾞｱﾀｯﾁﾒﾝﾄ Flushing Attachment	1	1		
26-9	3C7-62133-2	ﾎﾞﾙﾄ、12-P1.25 Bolt, 12-P1.25	4	4		L=105
26-10	353-61334-0	ﾜｯｼｬ、13-34-3 Washer, 13-34-3	4	4		
26-11	940113-1200	ﾜｯｼｬ Washer	4	4		
26-12	3C7-62139-1	ﾅｯﾄ、12-P1.25 Nut, 12-P1.25	4	4		
26-13	3C8-84910-2	ﾄﾞﾗｯｸﾘﾝｸ E Drag Link "E"	1	1		
26-13-1	353-84916-0	ﾜｯｼｬ、9.6-18-2 * Washer, 9.6-18-2	2	2		for "P" type 50D #53333～,40D #36004･
26-13-2	3C8-84912-1	ｶﾗｰ、9.6-13-6.5 * Collar, 9.6-13-6.5	1	1		Old part no. 3C8-84914-1
26-13-3	353-84918-0	ﾅｲﾛﾝﾅｯﾄ、3/8 * Nylon Nut, 3/8	1	1		


アクセサリー

Fig. 26 ACCESSORIES




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
26-13-4	3C8-84917-0	ﾎﾞﾙﾄ、3/8-19 * Bolt, 3/8-19	1	1		
26-13-5	3C8-84909-0	ｶﾗｰ、9.6-19-6 * Collar, 9.6-19-6	1	1		Old part no. 3C8-84916-0
26-13-6	951503-0215	ｽﾌﾟﾘｯﾄﾋﾟﾝ、2-15 * Split Pin, 2-15	1	1		for "P" type
26-13-7	3F3-84908-0	ﾄﾞﾗｯｸﾘﾝｸｼｰﾙﾘﾝｸﾞ * Drag Link Seal Ring	1	1		50D #53333～,40D #36004～
26-14	3B7-72043-0	ｵｲﾙｺｰｼｮﾝﾃﾞｶﾙ (EX) Oil Caution Decal (EX)	1	1		for Export Auto-mixing model
26-15	3C8-72051-0	ﾌﾞｻﾞｰｺｰｼｮﾝﾃﾞｶﾙ (EX) Buzzer Caution Decal (EX)	1	1		for Export "P" type

オプショナルパーツ (1)
Fig. 27 OPTIONAL PARTS (1)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
27-1	3E0-72644-0	ｽﾋﾟｰﾄﾞﾒｰﾀ 75MPH ｷｯﾄ Speedometer 75MPH Kit	1 set	1 set		
27-1-1	3E0-72649-0	ｽﾋﾟｰﾄﾞﾒｰﾀ 75MPH * Speedometer 75MPH	1	1		
27-1-2	3B7-72659-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
27-1-3	3B7-72656-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
27-1-4	3B7-72661-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-1-5	930203-0500	ﾅｯﾄ * Nut	2	2		
27-1-6	941303-0500	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-1-7	3B7-72650-0	ｽﾋﾟｰﾄﾞﾒｰﾀﾁｭｰﾌﾞ * Speedometer Tube	1	1		
27-1-8	3B7-72651-0	ｽﾋﾟｰﾄﾞﾒｰﾀﾊﾞﾝﾄﾞ * Speedometer Band	2	2		
27-1-9	3B7-72643-0	ｽﾋﾟｰﾄﾞﾒｰﾀｾﾝｻ * Speedometer Sensor	1	1		
27-2	3E0-72522-0	ｽﾋﾟｰﾄﾞﾒｰﾀ 50MPH ｷｯﾄ Speedometer 50MPH Kit	1 set	1 set		
27-2-1	3E0-72648-0	ｽﾋﾟｰﾄﾞﾒｰﾀ 50MPH * Speedometer 50MPH	1	1		
27-2-2	3B7-72659-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
27-2-3	3B7-72656-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
27-2-4	3B7-72661-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-2-5	930203-0500	ﾅｯﾄ * Nut	2	2		
27-2-6	941303-0500	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-2-7	3B7-72650-0	ｽﾋﾟｰﾄﾞﾒｰﾀﾁｭｰﾌﾞ * Speedometer Tube	1	1		
27-2-8	3B7-72651-0	ｽﾋﾟｰﾄﾞﾒｰﾀﾊﾞﾝﾄﾞ * Speedometer Band	2	2		
27-2-9	3B7-72643-0	ｽﾋﾟｰﾄﾞﾒｰﾀｾﾝｻ * Speedometer Sensor	1	1		
27-3	3E0-72526-0	ｳｫｰﾀﾃﾝﾌﾟﾒｰﾀｷｯﾄ Water Temperature Meter Kit	1 set	1 set		
27-3-1	3E0-72597-0	ｳｫｰﾀﾃﾝﾌﾟﾒｰﾀ * Water Temperature Meter	1	1		
27-3-2	3B7-72657-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
27-3-3	3B7-72655-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
27-3-4	3B7-72662-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-3-5	930203-0400	ﾅｯﾄ * Nut	2	2		
27-3-6	941303-0400	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-3-7	3B7-72514-0	ｳｫｰﾀﾃﾝﾌﾟｾﾝｻ * Water Temperature Sensor	1	1		
27-3-8	3B7-72518-0	ｳｫｰﾀﾃﾝﾌﾟﾒｰﾀﾘｰﾄﾞﾜｲﾔ * Water Temperature Meter Lead Cable	1	1		
27-4	3E0-72529-0	ﾎﾞﾙﾄﾒｰﾀ Voltmeter	1	1		

オプショナルパーツ (1)
Fig. 27 OPTIONAL PARTS (1)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
27-4-1	3B7-72657-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
27-4-2	3B7-72655-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
27-4-3	3B7-72662-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-4-4	930203-0400	ﾅｯﾄ * Nut	2	2		
27-4-5	941303-0400	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-5	3E3-72527-0	ｳｫｰﾀﾌﾟﾚｯｼｬﾒｰﾀｷｯﾄ Water Pressure Meter Kit	1 set	1 set		
27-5-1	3E0-72598-0	ｳｫｰﾀﾌﾟﾚｯｼｬﾒｰﾀ * Water Pressure Meter	1	1		
27-5-2	3B7-72657-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
27-5-3	3B7-72655-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
27-5-4	3B7-72663-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-5-5	930203-0500	ﾅｯﾄ * Nut	2	2		
27-5-6	941303-0500	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-5-7	3B7-72641-0	ｳｫｰﾀﾌﾟﾚｯｼｬﾒｰﾀﾆｯﾌﾟﾙ * Water Pressure Meter Nipple	1	1		
27-5-8	98AB-5-6000	ｳｫｰﾀﾌﾟﾚｯｼｬﾒｰﾀﾎｰｽ * Water Pressure Meter Hose	1	1		
27-5-9	338-02215-0	ｸﾘｯﾌﾟ、φ10 * Clip, φ10	2	2		
27-5-10	309-01136-0	ﾆｯﾌﾟﾙ、M8-6.8 * Nipple, M8-6.8	1	1		
27-5-11	121-33159-0	ｶﾞｽｹｯﾄ、2-8-1 * Gasket, 2-8-1	1	1		
27-5-12	336-76091-0	ﾘｰﾄﾞﾜｲﾔﾊﾞﾝﾄﾞ * Lead Wire Band	1	1		
27-6	3E0-72524-0	ｱﾜﾒｰﾀ Hour-meter	1	1		
27-6-1	3B7-72657-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		
27-6-2	3B7-72655-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		
27-6-3	3B7-72664-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-6-4	930203-0400	ﾅｯﾄ * Nut	2	2		
27-6-5	941303-0400	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-7	353-72521-1	ﾒｰﾀﾗﾝﾌﾟｽｲｯﾁ Meter Lamp Switch	1	1		
27-8	353-72546-0	ｱｼｽﾄｺｰﾄﾞ (ﾚｯﾄﾞ) Assist Cord (Red)	AR	AR		
27-9	353-72547-0	ｱｼｽﾄｺｰﾄﾞ (ﾌﾞﾙｰ) Assist Cord (Blue)	AR	AR		
27-10	353-72548-0	ｱｼｽﾄｺｰﾄﾞ (ﾌﾞﾗｯｸ) Assist Cord (Black)	AR	AR		
27-11	3B7-72530-2	ﾀｺﾒｰﾀ (ｵｲﾙﾗﾝﾌﾟ無) Tachometer (with out oil lamp)	1	1		for Premixing model
27-11-1	3B7-72659-0	ﾒｰﾀﾊﾞﾙﾌﾞ、12V-1.7W * Meter Bulb, 12V-1.7W	1	1		

オプショナルパーツ (1)
Fig. 27 OPTIONAL PARTS (1)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
27-11-2	3B7-72656-0	ﾒｰﾀﾀﾞﾝﾊﾟ * Meter Damper	1	1		for Premixing model
27-11-3	3B7-72661-0	ﾌｨﾃｨﾝｸﾞﾌﾟﾚｰﾄ * Fitting Plate	1	1		
27-11-4	930203-0500	ﾅｯﾄ * Nut	2	2		
27-11-5	941303-0500	ｽﾌﾟﾘﾝｸﾞﾜｯｼｬ * Spring Washer	2	2		
27-12	361-72539-0	ﾀｺﾒｰﾀﾘｰﾄﾞﾜｲﾔ Tachometer Lead Cable	1	1		L=6000
27-13	361-72542-0	ｾﾊﾟﾚｰﾄｺｰﾄﾞ (ﾎﾜｲﾄ) Separate Cord (White)	1	1		for "F" type
27-14	361-72543-0	ｾﾊﾟﾚｰﾄｺｰﾄﾞ (ｲｴﾛｰ) Separate Cord (Yellow)	1	1		

オプショナルパーツ (2)
Fig. 28　OPTINAL PARTS (2)




見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
28-1	3A3-81301-0	ﾂｲﾝﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽｷｯﾄ Twin Remote Control Box Kit	1 set	1 set		
28-2	3C8-84900-1	ﾀｲﾊﾞｰｷｯﾄ D Tie-Bar Kit "D"	1 set	1 set		
28-2-1	3C8-84914-1	ｶﾗｰ、9.6-13-6.5 * Collar, 9.6-13-6.5	2	2		
28-2-2	353-84916-0	ﾜｯｼｬ、9.6-18-2 * Washer, 9.6-18-2	4	4		
28-2-3	3C8-84917-0	ﾎﾞﾙﾄ、3/8-19 * Bolt, 3/8-19	1	1		for Twin engines with Drag link steering.
28-2-4	951503-0215	ｽﾌﾟﾘｯﾄﾋﾟﾝ、2-15 * Split Pin, 2-15	1	1		
28-2-5	3C8-84937-0	ﾎﾞﾙﾄ、3/8-30 * Bolt, 3/8-30	1	1		
28-2-6	3C8-84936-0	ｽﾃｱﾘﾝｸﾞﾛｯﾄﾞｼﾞｮｲﾝﾄ * Steering Rod Joint	1	1		
28-2-7	353-84918-0	ﾅｲﾛﾝﾅｯﾄ、3/8 * Nylon Nut, 3/8	1	1		
28-3	3A3-84900-1	ﾀｲﾊﾞｰｷｯﾄ C Tie-Bar Kit "C"	1 set	1 set		for Ball post drag link and Rope steering.
28-4	3C8-84830-0	ｽﾃｱﾘﾝｸﾞﾌｯｸﾌﾟﾚｰﾄ Steering Hook Plate	1	1		for Ball post steering, the Tie-Bar Kit "C" and Rope steering.
28-5	915203-0816	ｽﾀｯﾄﾞﾎﾞﾙﾄ Stud Bolt	2	2		
28-6	930403-0800	ﾅｲﾛﾝﾅｯﾄ、8-P1.25 Nylon Nut, 8-P1.25	2	2		
28-7	940113-0800	ﾜｯｼｬ Washer	2	2		
28-8	3C8Q84960-0	ｸﾚﾋﾞｽｱｯｼ Crevice Ass'y	1	1		for Ball post steering.
28-8-1	3C8-84962-0	ｶﾗｰ、9.6-13-20.5 * Collar, 9.6-13-20.5	1	1		
28-8-2	353-84916-0	ﾜｯｼｬ、9.6-18-2 * Washer, 9.6-18-2	2	2		
28-8-3	3C8-84963-0	ﾎﾞﾙﾄ、3/8-43 * Bolt, 3/8-43	1	1		
28-8-4	353-84918-0	ﾅｲﾛﾝﾅｯﾄ、3/8 * Nylon Nut, 3/8	2	2		
28-8-5	3C8-84964-0	ﾎﾞﾙﾄ、3/8-35 * Bolt, 3/8-35	1	1		
28-9	353-84904-0	ﾄﾞﾗｯｸﾘﾝｸｽﾍﾟｰｻ Drag Link Spacer	1	1		
28-10	3C8-66110-0	ｼﾌﾄﾚﾊﾞｰ Shift Lever	1	1		L=106

オプションパーツ (3)
Fig. 29 OPTIONAL PARTS (3)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
29-1	3C7Q84520-1	ﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽ (RC6AT) Remote Control Box (RC6AT)	1	1		for Twin
29-2	3C7Q84480-1	ﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽ (RC6B) Remote Control Box (RC6B)	1	1		for Single
29-3	353-76020-3	ﾒｲﾝｽｲｯﾁ Main Switch	1 (2)	1 (2)		
	3F3-76217-0	ﾒｲﾝｽｲｯﾁｷｰ (No.301) * Main Switch Key (No.301)	1 (2)	1 (2)		
	3F3-76218-0	ﾒｲﾝｽｲｯﾁｷｰ (No.302) * Main Switch Key (No.302)	1 (2)	1 (2)		
	3F3-76219-0	ﾒｲﾝｽｲｯﾁｷｰ (No.303) * Main Switch Key (No.303)	1 (2)	1 (2)		
29-4	805-76201-1	ﾒｲﾝｽｲｯﾁﾊﾟﾈﾙ Main Switch Panel	1 (2)	1 (2)		( ) is Using number for Twin engines.
29-5	3A3-06830-0	ｽﾄｯﾌﾟｽｲｯﾁ Stop Switch	1 (2)	1 (2)		
29-5-1	353-06821-0	ｽﾄｯﾌﾟｽｲｯﾁﾛｯｸ (ﾛｰﾌﾟ付) * Stop Switch Lanyard	1 (2)	1 (2)		
29-6	3A3-76171-0	ｵｰﾊﾞｰﾋｰﾄﾌﾞｻﾞｰ Over-Heat Buzzer	1 (2)	1 (2)		
29-7	3A3-76115-0	ｺｰﾄﾞｱｯｼ B Cord Ass'y "B"	1 (2)	1 (2)		L=6200
29-8	353-72546-0	ｱｼｽﾄｺｰﾄﾞ (ﾚｯﾄﾞ) Assist Cord (Red)	1 (2)	1 (2)		
29-9	3C7-84475-0	PTT ｽｲｯﾁｺｰﾄﾞ (ﾚｯﾄﾞ) "PTT" Switch Cord (Red)	1 (2)	1 (2)		
29-10	3C7-84476-0	PTT ｽｲｯﾁｺｰﾄﾞ (ｽｶｲﾌﾞﾙｰ) "PTT" Switch Cord (Sky Blue)	1 (2)	1 (2)		
29-11	3C7-84477-0	PTT ｽｲｯﾁｺｰﾄﾞ (ﾋﾟﾝｸ) "PTT" Switch Cord (Pink)	1 (2)	1 (2)		
29-12	3C7-84470-1	ﾆｭｰﾄﾗﾙｽｲｯﾁｺｰﾄﾞ (ﾚｯﾄﾞ) Neutral Switch Cord (Red)	2 (4)	2 (4)		
29-13	3C7-84471-1	ﾆｭｰﾄﾗﾙｽｲｯﾁｺｰﾄﾞ (ｸﾞﾘｰﾝ) Neutral Switch Cord (Green)	2 (4)	2 (4)		


オプショナルパーツ (4)
Fig. 30 OPTIONAL PARTS (4)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
30-1	353-72406-0	ﾄﾞﾗｲﾌﾞｸﾘｰﾅ Drive Cleaner	1	1		
30-2	3C8-64110-0	ﾃｽﾄﾌﾟﾛﾍﾟﾗ Test Propeller	1	1		
30-3	3A3-76114-0	10P ｴｸｽﾃﾝｼｮﾝｺｰﾄﾞ 10P Extension Cord	1	1		L=2000
30-4	3A3-72573-0	ｴｸｽﾃﾝｼｮﾝｺｰﾄﾞ (ﾄﾘﾑﾒｰﾀ) Extension Cord (Trim Meter)	1	1		L=2000
30-5	3F3-72540-0	ｽﾊﾟｰｸﾃｽﾀ Spark Tester	1	1		
30-6	332-72309-0	ｸﾞﾘｽ (250g) Grease (250g)	1	1		24 tubes/case N.A.F.N.
30-7	332-72306-0	ｷﾞﾔｵｲﾙ (500mL) Gear Oil (500mL)	1	1		20 tubes/case N.A.F.N.
30-8	3AC-72326-0	ｽﾌﾟﾚｰ (ｱｸｱﾏﾘﾝﾌﾞﾙｰ) Touch-up Paint (Aquamarine Blue)	1	1		N.A.F.N.
30-9	3C7-72301-0	ｽｰﾊﾟｰｺﾞｰﾙﾄﾞ (0.4L) Tohatsu Super Gold (0.4liter)	1	1		Engine oil N.A.F.N.
	3C7-72302-0	ｽｰﾊﾟｰｺﾞｰﾙﾄﾞ (1.0L) Tohatsu Super Gold (1.0liter)	1	1		Engine oil N.A.F.N.
	3C7-72304-0	ｽｰﾊﾟｰｺﾞｰﾙﾄﾞ (4.0L) Tohatsu Super Gold (4.0liter)	1	1		Engine oil N.A.F.N.
	3C7-72303-0	ｽｰﾊﾟｰｺﾞｰﾙﾄﾞ (20.0L) Tohatsu Super Gold (20.0liter)	1	1		Engine oil N.A.F.N.
30-10	345-72313-0	ﾋﾞﾆｰﾙﾓｰﾀｶﾊﾞｰ (LL) Vinyl Motor Cover (LL)	1	1		UNIQUE
30-11	3C8-76160-2	ﾚｸﾁﾌｧｲﾔｷｯﾄ Rectifier Kit	1	1		

アッセンブリ・キット

Fig. 31 ASSEMBLY・KIT




見出番号 Ref. No.	部品番号 Part No.	部品名 Description	個数 Q'ty 50 D2	40 D2		備考 Remarks
31-1	3E3B87110-4	ｴﾝｼﾞﾝｼｮｰﾄﾌﾞﾛｯｸ Engine Short Block	1	-		
	3C8B87110-4	ｴﾝｼﾞﾝｼｮｰﾄﾌﾞﾛｯｸ Engine Short Block	-	1		
31-2	3C8-87123-0	ﾋﾟｽﾄﾝ ﾘﾝｸﾞｾｯﾄ (Std) Piston Ring Set (Std)	1 set	1 set		
	356-00011-0	* ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 1st (Std) Piston Ring 1st (Std)	3	3		
	346-00011-0	* ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 2nd (Std) Piston Ring 2nd (Std)	3	3		
31-2	3C8-87124-0	ﾋﾟｽﾄﾝ ﾘﾝｸﾞｾｯﾄ (0.5mm O/S) Piston Ring Set (0.5mm O/S)	1 set	1 set		
	356-00014-0	* ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 1st (0.5mm O/S) Piston Ring 1st (0.5mm O/S)	3	3		
	346-00014-0	* ﾋﾟｽﾄﾝ ﾘﾝｸﾞ 2nd (0.5mm O/S) Piston Ring 2nd (0.5mm O/S)	3	3		
31-3	3C8-87122-1	ｷｬﾌﾞﾚﾀﾘﾍﾟｱｷｯﾄ Carburetor Repair Kit	1 set	1 set		
	3E3-02011-0	* ｷｬﾌﾞﾚﾀｶﾞｽｹｯﾄ Carburetor Gasket	3	-		
	3C8-02011-0	* ｷｬﾌﾞﾚﾀ O ﾘﾝｸﾞ Carburetor O-Ring	-	3		
	3C8-03169-0	* ﾌﾟﾗｸﾞ Plug	3	3		
	3E3-03147-0	* ﾌﾛｰﾄﾊﾞﾙﾌﾞ Float Valve	3	3		
	3C8-03126-0	* ﾌﾛｰﾄｱｰﾑﾋﾟﾝ Float Arm Pin	3	3		
	3C8-03125-0	* ﾌﾛｰﾄ Float	3	3		
	3C8-03121-0	* ﾌﾛｰﾄﾁｬﾝﾊﾞｰ O ﾘﾝｸﾞ Float Chamber O-Ring	3	3		
	922532-6412	* ｽｸﾘｭ Screw	12	12		or 922532-0412
	3C8-03193-0	* ｶﾞｽｹｯﾄ Gasket	3	3		
	3C8-03181-0	* ｷｬﾌﾞﾚﾀｶﾊﾞｰ Carburetor Cover	3	3		
	3C8-03182-0	* ｷｬﾌﾞﾚﾀｶﾊﾞｰｶﾞｽｹｯﾄ Carburetor Cover Gasket	3	3		
	922522-6410	* ｽｸﾘｭ Screw	6	6		or 922503-6410
31-4	3C8-87121-6	ﾊﾟﾜｰﾍｯﾄﾞｶﾞｽｹｯﾄｾｯﾄ Power Head Gasket Set	1 set	1 set		
	3C8-01005-4	* ｼﾘﾝﾀﾞｰﾍｯﾄﾞｶﾞｽｹｯﾄ Cylinder Head Gasket	1	1		
	3C8-01024-1	* ｼﾘﾝﾀﾞｰﾍｯﾄﾞｶﾊﾞｰｶﾞｽｹｯﾄ Cylinder Head Cover Gasket	1	1		
	353-01032-0	* ｻｰﾓｽﾀｯﾄｷｬｯﾌﾟｶﾞｽｹｯﾄ Thermostat Cap Gasket	1	1		
	346-01216-0	* O ﾘﾝｸﾞ、1.7-59 O-Ring, 1.7-59	1	1		Crank case head

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
31-4	3C8-01215-0	ｵｲﾙｼｰﾙ、16-28-7 * Oil Seal, 16-28-7	1	1		Drive shaft
	334-00122-0	ｵｲﾙｼｰﾙ、25-40-8 * Oil Seal, 25-40-8	1	1		Lower side
	3C8-02305-1	ｴｷｿﾞｰｽﾄｶﾊﾞｰｶﾞｽｹｯﾄ * Exhaust Cover Gasket	2	2		
	3C8-09082-1	ﾌﾞﾗｲﾝﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ * Blind Plate Gasket	1	1		for Premixing model
	151-33159-0	ｶﾞｽｹｯﾄ、6.2-11-1 * Gasket, 6.2-11-1	3	3		Ignition coil
	3C8-02104-1	ｲﾝﾃｰｸﾏﾆﾎｰﾙﾄﾞｶﾞｽｹｯﾄ * Intake Manifold Gasket	3	3		
	3E3-02011-0	ｷｬﾌﾞﾚﾀｶﾞｽｹｯﾄ * Carburetor Gasket	3	-		
	3C8-02011-0	ｷｬﾌﾞﾚﾀ O ﾘﾝｸﾞ * Carburetor O-Ring	-	3		
	3B7-02235-0	O ﾘﾝｸﾞ A * O-Ring, "A"	2	2		
	3B7-02236-0	O ﾘﾝｸﾞ B * O-Ring, "B"	2	2		
	3C8-01303-1	ｴﾝｼﾞﾝﾍﾞｰｽｶﾞｽｹｯﾄ * Engine Basement Gasket	1	1		
	3C8-00108-0	O ﾘﾝｸﾞ、2.4-39.7 * O-Ring, 2.4-39.7	1	1		Upper bearing
31-5	3E3Q63010-0	ﾃｨﾗﾊﾝﾄﾞﾙｱｯｼ Tiller Handle Ass'y	1	1		
31-6	3C8Q87301-5	ﾛﾜﾕﾆｯﾄｱｯｼ S Lower Unit Ass'y "S"	1	1		for Transom "S"
	3C8Q87302-5	ﾛﾜﾕﾆｯﾄｱｯｼ L Lower Unit Ass'y "L"	1	1		for Transom "L"
	3C8Q87304-5	ﾛﾜﾕﾆｯﾄｱｯｼ UL Lower Unit Ass'y "UL"	1	1		for Transom "UL"
31-7	3C8Q60100-0	ﾌﾟﾛﾍﾟﾗｼｬﾌﾄﾊｳｼﾞﾝｸﾞｱｯｼ Propeller Shaft Housing Ass'y	1	1		
31-8	3C8-87322-2	ｳｫｰﾀﾎﾟﾝﾌﾟﾘﾍﾟｱｷｯﾄ Water Pump Repair Kit	1 set	1 set		
	3C8-65021-2	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗ * Water Pump Impeller	1	1		
	332-65022-0	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗｷｰ * Water Pump Impeller Key	1	1		
	3C8-65011-1	ﾎﾟﾝﾌﾟｹｰｽﾗｲﾅ * Pump Case Liner	1	1		
	3C8-65025-0	ｳｫｰﾀﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄ * Water Pump Guide Plate	1	1		
	3C8-65029-1	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ * Pump Guide Plate Gasket	1	1		
	3C8-65018-2	ﾎﾟﾝﾌﾟｹｰｽｶﾞｽｹｯﾄ (ｱｯﾊﾟ) * Pump Case Gasket (Upper)	1	1		
	910113-5855	ﾎﾞﾙﾄ * Bolt	4	4		

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
31-9	3C8-65231-2	ｳｫｰﾀﾎﾟﾝﾌﾟｷｯﾄ (ｸﾛﾑﾒｯｷ) Water Pump Kit (Chrome Plated)	1 set	1 set		
	3C8-65021-2	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗ * Water Pump Impeller	1	1		
	3C8-65238-1	ﾎﾟﾝﾌﾟｹｰｽﾗｲﾅ (ｸﾛﾑﾒｯｷ) * Pump Case Liner (Chrome Plated)	1	1		
	3C8-65239-0	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄ (ｸﾛﾑﾒｯｷ) * Pump Guide Plate (Chrome Plated)	1	1		
	3C8-65029-1	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ * Pump Guide Plate Gasket	1	1		
	3C8-65018-2	ﾎﾟﾝﾌﾟｹｰｽｶﾞｽｹｯﾄ (ｱｯﾊﾟ) * Pump Case Gasket (Upper)	1	1		
31-10	3C8-87321-2	ﾛﾜﾕﾆｯﾄｶﾞｽｹｯﾄｾｯﾄ Lower Unit Gasket Set	1 set	1 set		
	3C8-61012-1	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞｶﾞｽｹｯﾄ * Drive Shaft Housing Gasket	1	1		
	3C8-02312-1	ｴｷｿﾞｰｽﾄﾊﾟｲﾌﾟｶﾞｽｹｯﾄ * Exhaust Pipe Gasket	1	1		
	3C8-61181-1	ｴｷｿﾞｰｽﾄﾊｳｼﾞﾝｸﾞｶﾞｽｹｯﾄ * Exhaust Housing Gasket	1	1		
	332-60006-0	ｶﾞｽｹｯﾄ、8.2-14-1 * Gasket, 8.2-14-1	2	2		
	3B7-60016-1	ｶﾞｽｹｯﾄ、10.1-15-1 * Gasket, 10.1-15-1	1	1		
	345-60103-0	O ﾘﾝｸﾞ、3.53-69-44 * O-Ring, 3.53-69-44	1	1		Propeller shaft
	334-60223-0	ｵｲﾙｼｰﾙ、22-36-10 * Oil Seal, 22-36-10	1	1		Propeller shaft
	3C8-60223-0	ｵｲﾙｼｰﾙ、17-33-6 * Oil Seal, 17-33-6	2	2		Pump case (Lower)
	345-65015-0	O ﾘﾝｸﾞ、3.2-47 * O-Ring, 3.2-47	1	1		Pump case (Lower)
	3C8-65029-1	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ * Pump Guide Plate Gasket	1	1		
	3C8-65018-2	ﾎﾟﾝﾌﾟｹｰｽｶﾞｽｹｯﾄ (ｱｯﾊﾟ) * Pump Case Gasket (Upper)	1	1		
	332-66021-0	O ﾘﾝｸﾞ、2.4-5.8 * O-Ring, 2.4-5.8	1	1		Cam rod
	3C8-66032-0	O ﾘﾝｸﾞ、3.5-21.7 * O-Ring, 3.5-21.7	1	1		Bushing
31-11	3C8Q87314-0	ｴｸｽﾃﾝｼｮﾝﾊｳｼﾞﾝｸﾞｷｯﾄ UL Extension Housing Kit "UL"	1	1		for Transom "UL"
	3C8Q61110-0	ｴｸｽﾃﾝｼｮﾝﾊｳｼﾞﾝｸﾞ UL * Extension Housing "UL"	1	1		
	910113-5835	ﾎﾞﾙﾄ * Bolt	6	6		
	346-66037-0	ｶﾑﾛｯﾄﾞﾎﾙﾀﾞ * Cam Rod Holder	1	1		
	353-66024-0	ｽﾄｯﾊﾟ * Stopper	1	1		
	910103-6612	ﾎﾞﾙﾄ * Bolt	1	1		
	346-65204-0	ｳｫｰﾀﾊﾟｲﾌﾟｵｰｸｼﾞｭｱﾘｰﾏｳﾝﾄ * Water Pipe Auxiliary Mount	1	1		
	3C8Q60090-0	ｷﾞﾔｹｰｽ (ｻﾌﾞｳｫｰﾀﾊﾟｲﾌﾟ付) * Gear Case (with Sub Water Pipe)	1	1		


見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	40 D2		備　考 Remarks
31-11	3C8-64303-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄ UL * Drive Shaft "UL"	1	1		
	3C8-65120-0	ｳｫｰﾀﾊﾟｲﾌﾟ UL * Water Pipe "UL"	1	1		
	3C8-66014-0	ｶﾑﾛｯﾄﾞ UL * Cam Rod "UL"	1	1		
	951407-0312	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3-12 * Spring Pin, 3-12	2	2		
31-12	3B7Q84490-2	ﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽｷｯﾄ (RC6F) Remote Control Box Kit (RC6F)	1	1		for Single
	3B7Q84540-2	ﾘﾓｰﾄｺﾝﾄﾛｰﾙﾎﾞｯｸｽｷｯﾄ (RC6FT) Remote Control Box Kit (RC6FT)	1	1		for Twin
31-13	3C8-76300-0	ｴﾚｸﾄﾘｯｸｽﾀｰﾀｷｯﾄ (F ﾀｲﾌﾟ) Electric Starter Kit ("F" Type)	1 set	1 set		
	3B7-76093-0	ｸﾞﾛﾒｯﾄ、25-5 * Grommet, 25-5	1	1		
	3C8-76010-1	ｽﾀｰﾀﾓｰﾀ * Starter Motor	1	1		
	910103-5825	ﾎﾞﾙﾄ * Bolt	2	2		or 910103-6625
	3C8-76007-0	ｽﾀｰﾀﾓｰﾀﾀﾞﾝﾊﾟ * Starter Motor Damper	1	1		
	3C8-76009-0	ｽﾀｰﾀﾓｰﾀﾊﾞﾝﾄﾞ * Starter Motor Band	1	1		
	910103-5820	ﾎﾞﾙﾄ * Bolt	1	1		or 910103-6820
	346-76040-0	ｽﾀｰﾀｿﾚﾉｲﾄﾞ * Starter Solenoid	1	1		
	910103-6616	ﾎﾞﾙﾄ * Bolt	1	1		
	3C8-71035-0	ｽﾀｰﾀｿﾚﾉｲﾄﾞﾌﾞﾗｹｯﾄ * Starter Solenoid Bracket	1	1		
	910103-6614	ﾎﾞﾙﾄ * Bolt	2	2		
	3C8-76141-0	ｽﾀｰﾀｺｰﾄﾞ * Starter Cable	1	1		L=160
	3B7-76120-0	ﾊﾞｯﾃﾘｺｰﾄﾞ * Battery Cable	1	1		L=3000
	910403-5612	ﾎﾞﾙﾄ * Bolt	1	1		
	3A3-76145-0	ﾀｰﾐﾅﾙｷｬｯﾌﾟ * Terminal Cap	2	2		
	3B7-76145-0	ﾀｰﾐﾅﾙｷｬｯﾌﾟ * Terminal Cap	2	2		
	3B7-76065-3	ﾚｸﾁﾌｧｲﾔ * Rectifier	1	1		
	921503-7625	ｽｸﾘｭ * Screw	2	2		
	3C8-76110-0	ｺｰﾄﾞｱｯｼ A * Cord Ass'y "A"	1	1		
	353-76062-1	ﾋｭｰｽﾞﾜｲﾔ * Fuse Cable	1	1		L=900
	3C8-76119-0	ｺｰﾄﾞｱｯｼ C * Cord Ass'y "C"	1	1		L=570
	3C8-76020-2	ﾒｲﾝｽｲｯﾁ * Main Switch	1	1		

見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty 50 D2	 40 D2	 	備　考 Remarks
31-13	3C8-76080-0	ﾆｭｰﾄﾗﾙｽｲｯﾁ * Neutral Switch	1	1		
	3B7-63731-0	ﾜｯｼｬ、12.5-24-1 * Washer, 12.5-24-1	1	1		
	309-06972-0	ｸﾗﾝﾌﾟ、6.5-47.5P * Clamp, 6.5-47.5P	1	1		
	910103-0610	ﾎﾞﾙﾄ * Bolt	1	1		or 910113-0610
	353-06972-0	ｸﾗﾝﾌﾟ、7-80P * Clamp, 7-80P	2	2		
	910403-0612	ﾎﾞﾙﾄ * Bolt	2	2		



W50D2


ギヤケース（ドライブシャフト）
Fig. 1 GEAR CASE (DRIVE SHAFT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty W 50 D2			備　考 Remarks
1-1	3S7Q60090-1	ｷﾞﾔｹｰｽ Gear Case	1			with Sub Water Pipe
1-1-1	353-60211-0	ﾆｰﾄﾞﾙﾍﾞｱﾘﾝｸﾞ、25-33-30 * Needle Bearing, 25-33-30	1			
1-2	916189-0835	ﾎﾞﾙﾄ、8-35 Bolt, 8-35	4			
1-3	940213-0800	ﾜｯｼｬ Washer	4			
1-4	3B7-60001-2	ﾎﾞﾙﾄ、10-40 Bolt, 10-40	2			
1-5	940213-1000	ﾜｯｼｬ Washer	2			
1-6	332-60005-2	ｵｲﾙﾌﾟﾗｸﾞ Oil Plug	2			
1-7	332-60006-0	ｶﾞｽｹｯﾄ、8.1-15-1 Gasket, 8.1-15-1	2			
1-8	3B7-60235-0	ｳｫｰﾀｽﾄﾚｰﾅｾｯﾄ Water Strainer Set	1			
1-8-1	921503-0438	ｽｸﾘｭ * Screw	1			
1-8-2	930403-0400	ﾅｲﾛﾝﾅｯﾄ、4P 0.7 * Nylon Nut, 4P 0.7	1			
1-9	3F3-60204-0	ｻﾌﾞｳｫｰﾀｽﾄﾚｰﾅ Sub Water Strainer	1			
1-10	921503-0608	ｽｸﾘｭ Screw	2			
1-11	3B7-60015-1	ｳｫｰﾀﾌﾟﾗｸﾞ Water Plug	1			
1-12	3B7-60016-1	ｶﾞｽｹｯﾄ、10.1-15-1 Gasket, 10.1-15-1	1			
1-13	3S7-64302-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄ L Drive Shaft "L"	1			
	3S7-64303-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄ UL Drive Shaft "UL"	1			
1-14	3S7-60213-0	ﾍﾞｱﾘﾝｸﾞ、6205R Bearing, 6205R	2			
1-15	353-64327-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄｽﾌﾟﾘﾝｸﾞ Drive Shaft Spring	1			
1-16	3A3-64328-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄｽﾌﾟﾘﾝｸﾞｶﾞｲﾄﾞ Drive Shaft Spring Guide	1			
1-17	3F3-64020-0	ﾍﾞﾍﾞﾙｷﾞﾔ B Bevel Gear "B"	1			
1-18	353-64027-0	ﾍﾞﾍﾞﾙｷﾞﾔ B ﾅｯﾄ Bevel Gear "B" Nut	1			
1-19	353-64081-0	ｼﾑ、44-50.5-0.1 Shim, 44-50.5-0.1	AR			
	353-64082-0	ｼﾑ、44-50.5-0.15 Shim, 44-50.5-0.15	AR			
	353-64083-0	ｼﾑ、44-50.5-0.3 Shim, 44-50.5-0.3	AR			
1-20	3B7-65021-2	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗ Water Pump Impeller	1			
1-21	3B7-65022-0	ｳｫｰﾀﾎﾟﾝﾌﾟｲﾝﾍﾟﾗｷｰ Water Pump Impeller Key	1			
1-22	3B7-65016-0	ﾎﾟﾝﾌﾟｹｰｽ (ｱｯﾊﾟｰ) Pump Case (Upper)	1			
1-23	3B7-65238-0	ﾎﾟﾝﾌﾟｹｰｽﾗｲﾅ (ｸﾛｰﾑﾒｯｷ) Pump Case Liner (Chrome Plated)	1			
1-24	3B7-65018-0	ﾎﾟﾝﾌﾟｹｰｽｶﾞｽｹｯﾄ Pump Case Gasket	1			

ｷﾞﾔｹｰｽ (ﾄﾞﾗｲﾌﾞｼｬﾌﾄ)


Fig. 1 GEAR CASE (DRIVE SHAFT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty W 50 D2			備　考 Remarks
1-25	3F3-65239-1	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄ (ｸﾛｰﾑﾒｯｷ) Pump Guide Plate (Chrome Plated)	1			
1-26	3B7-65029-0	ﾎﾟﾝﾌﾟｶﾞｲﾄﾞﾌﾟﾚｰﾄｶﾞｽｹｯﾄ Pump Guide Plate Gasket	1			
1-27	3F3-65017-1	ﾎﾟﾝﾌﾟｹｰｽ (ﾛﾜ) Pump Case (Lower)	1			
1-28	334-65012-0	ﾀﾞｳｴﾙﾋﾟﾝ、4-10 Dowel Pin, 4-10	2			
1-29	3F3-60223-0	ｵｲﾙｼｰﾙ、22-37-8 Oil Seal, 22-37-8	2			
1-30	3F3-64084-0	ｽﾍﾟｰｻ、36.9-30-0.5 Spacer, 36.9-30-0.5	1			
1-31	345-65015-0	O ﾘﾝｸﾞ、3.2-47 O-Ring, 3.2-47	1			
1-32	916113-0880	ﾎﾞﾙﾄ、8-80 Bolt, 8-80	4			
1-33	940113-0800	ﾜｯｼｬ Washer	4			
1-35	3B7-65014-0	ｳｫｰﾀﾊﾟｲﾌﾟｼｰﾙ (ﾛﾜ) Water Pipe Seal (Lower)	1			
1-36	3C8-65100-0	ｳｫｰﾀﾊﾟｲﾌﾟ S Water Pipe "S"	1			for Transom "L"
	3C8-65110-0	ｳｫｰﾀﾊﾟｲﾌﾟ L Water Pipe "L"	1			for Transom "UL"
1-37	345-65206-0	ｳｫｰﾀﾊﾟｲﾌﾟｼｰﾙ (ｱｯﾊﾟ) Water Pipe Seal (Upper)	1			
1-38	345-65205-0	ｶﾗｰ、18-20-4.5 Collar, 18-20-4.5	1			
1-39	346-65204-0	ｳｫｰﾀﾊﾟｲﾌﾟｵｰｸｼﾞｭｱﾘｰﾏｳﾝﾄ Water Pipe Auxiliary Mount	1			Water Pipe Locking Rubber
1-40	3S7-66011-0	ｸﾗｯﾁｶﾑ Clutch Cam	1			
1-41	951403-3514	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3.5-14 Spring Pin, 3.5-14	1			
1-42	3S7-66013-0	ｶﾑﾛｯﾄﾞ L Cam Rod "L"	1			
	3S7-66014-0	ｶﾑﾛｯﾄﾞ UL Cam Rod "UL"	1			
1-43	951403-3510	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3.5-10 Spring Pin, 3.5-10	1			
1-44	3B7-66031-1	ｶﾑﾛｯﾄﾞﾌﾞｯｼﾝｸﾞ Cam Rod Bushing	1			
1-45	345-66021-0	O ﾘﾝｸﾞ、1.9-6.8 O-Ring, 1.9-6.8	2			
1-46	3B7-66023-0	O ﾘﾝｸﾞ、3.5-27.7 O-Ring, 3.5-27.7	1			
1-47	353-66024-0	ｽﾄｯﾊﾟ Stopper	1			
1-48	910103-6612	ﾎﾞﾙﾄ Bolt	1			
1-49	3S7-66241-0	ｼﾌﾄﾛｯﾄﾞｼﾞｮｲﾝﾄ Shift Rod Joint	1			
1-50	951403-0312	ｽﾌﾟﾘﾝｸﾞﾋﾟﾝ、3-12 Spring Pin, 3-12	2			

ｷﾞﾔｹｰｽ (ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ)


Fig. 2 GEAR CASE (PROPELLER SHAFT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty W 50 D2			備　考 Remarks
2-1	3F3-60215-0	ﾃｰﾊﾟﾛｰﾗﾍﾞｱﾘﾝｸﾞ、32007JR Taper Roller Bearing, 32007 JR	1			
2-2	3F3-64010-3	ﾍﾞﾍﾞﾙｷﾞﾔ A Bevel Gear "A "	1			
2-2-1	3C8-64011-0	ﾆｰﾄﾞﾙﾍﾞｱﾘﾝｸﾞ、202720 Needle Bearing, 202720	1			
2-3	353-64036-0	ｼﾑ、36-44-0.3 Shim, 36-44-0.3	AR			
	353-64037-0	ｼﾑ、36-44-0.15 Shim, 36-44-0.15	AR			
	353-64038-0	ｼﾑ、36-44-0.1 Shim, 36-44-0.1	AR			
2-4	3A3-64211-0	ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ Propeller Shaft	1			
2-5	3F3-64215-0	ｸﾗｯﾁ Clutch	1			
2-6	353-64218-0	ｸﾗｯﾁ ﾋﾟﾝ Clutch Pin	1			
2-7	353-64219-2	ｸﾗｯﾁﾋﾟﾝｽﾅｯﾌﾟ Clutch Pin Snap	1			
2-8	353-64223-1	ｸﾗｯﾁﾌﾟｯｼｭﾛｯﾄﾞ Clutch Push Rod	1			
2-9	965002-0803	ｽﾁｰﾙﾎﾞｰﾙ、3/8 Steel Ball, 3/8	1			
2-10	3A3-64222-0	ｸﾗｯﾁｽﾌﾟﾘﾝｸﾞﾘﾃｰﾅ Clutch Spring Retainer	1			
2-11	346-64221-0	ｸﾗｯﾁｽﾌﾟﾘﾝｸﾞ Clutch Spring	1			
2-12	3A3Q60101-0	ﾌﾟﾛﾍﾟﾗｼｬﾌﾄﾊｳｼﾞﾝｸﾞ Propeller Shaft Housing	1			
2-13	353-60211-0	ﾆｰﾄﾞﾙﾍﾞｱﾘﾝｸﾞ、25-33-30 Needle Bearing, 25-33-30	1			
2-14	9601-0-6007	ﾎﾞｰﾙﾍﾞｱﾘﾝｸﾞ、6007 Ball Bearing, 6007	1			
2-15	353-60103-0	O ﾘﾝｸﾞ、3.5-74.6 O-Ring, 3.5-74.6	1			
2-16	353-64036-0	ｼﾑ、36-44-0.3 Shim, 36-44-0.3	1			
	353-64037-0	ｼﾑ、36-44-0.15 Shim, 36-44-0.15	AR			
	353-64038-0	ｼﾑ、36-44-0.1 Shim, 36-44-0.1	AR			
2-17	3F3-64030-0	ﾍﾞﾍﾞﾙｷﾞﾔ C Bevel Gear "C"	1			
2-18	353-64032-0	ﾜｯｼｬ、t = 3.0 Washer, t = 3.0	AR			
	353-64034-0	ﾜｯｼｬ、t = 2.75 Washer, t = 2.75	AR			
	353-64035-0	ﾜｯｼｬ、t = 2.5 Washer, t = 2.5	AR			
2-19	353-60111-0	ｵｲﾙｼｰﾙ、25-38-10 Oil Seal, 25-38-10	1			
2-20	3C7-60108-0	ﾎﾞﾙﾄ、8-30 ﾌﾟﾚｺｰﾄ Bolt, 8-30 Pre-coat	2			
2-21	940213-0800	ﾜｯｼｬ Washer	2			
2-22	353-64231-0	ﾌﾟﾛﾍﾟﾗｽﾗｽﾄﾎﾙﾀﾞ A Propeller Thrust Holder "A"	1			
2-23	353-64233-0	ﾌﾟﾛﾍﾟﾗｽﾄｯﾊﾟ A Propeller Stopper "A"	1			

ｷﾞﾔｹｰｽ (ﾌﾟﾛﾍﾟﾗｼｬﾌﾄ)


Fig. 2 GEAR CASE (PROPELLER SHAFT)



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty W 50 D2			備　考 Remarks
2-24	353W64101-0	ﾌﾟﾛﾍﾟﾗ 9 (3X305X229) Propeller 9 (3X12.0X9.0)	1			
	353W64102-0	ﾌﾟﾛﾍﾟﾗ 10 (3x292x254) Propeller 10 (3x11.5x10.0)	1			
	353W64103-0	ﾌﾟﾛﾍﾟﾗ 11 (3x292x279) Propeller 11 (3x11.5x11.0)	1			
	353W64104-0	ﾌﾟﾛﾍﾟﾗ 12 (3x295x305) Propeller 12 (3x11.6x12.0)	1			STD
	353W64105-0	ﾌﾟﾛﾍﾟﾗ 13 (3x292x330) Propeller 13 (3x11.5x13.0)	1			
	353W64106-0	ﾌﾟﾛﾍﾟﾗ 14 (3x289x355) Propeller 14 (3x11.4x14.0)	1			
	353W64107-0	ﾌﾟﾛﾍﾟﾗ 15 (3x280x381) Propeller 15 (3x11.0x15.0)	1			
	353W64108-0	ﾌﾟﾛﾍﾟﾗ 16.5 (3x273x417) Propeller 16.5 (3x10.7x16.4)	1			
	353-64109-0	ﾌﾟﾛﾍﾟﾗ 17.5 (3x276x447) Propeller 17.5 (3x10.9x17.6)	1			
2-25	353-64121-0	ﾌﾟﾛﾍﾟﾗﾅｯﾄ Propeller Nut	1			
2-26	345-64124-0	ﾜｯｼｬ、17-32-3 Washer, 17-32-3	1			
2-27	951503-0325	ｽﾌﾟﾘｯﾄﾋﾟﾝ、3-25 Split Pin, 3-25	1			
2-28	3B7-60217-1	ﾄﾘﾑﾀﾌﾞ Trim Tab	1			
2-29	915313-0825	ｽﾀｯﾄﾞﾎﾞﾙﾄ Stud Bolt	1			
2-30	930403-0800	ﾅｲﾛﾝﾅｯﾄ、8 P1.25 Nylon Nut, 8 P1.25	1			
2-31	3B7-60219-0	ﾄﾘﾑﾀﾌﾞｶﾞｽｹｯﾄ Trim Tab Gasket	1			

ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾝｸﾞ

Fig. 3 DRIVE SHAFT HOUSING



見出番号 Ref. No.	部品番号 Part No.	部　品　名 Description	個数 Q'ty W 50 D2			備　考 Remarks
3-1	3C8Q61191-1	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞ S Drive Shaft Housing “S”	1			for Transom “L”
	3C8Q61192-0	ﾄﾞﾗｲﾌﾞｼｬﾌﾄﾊｳｼﾞﾝｸﾞ L Drive Shaft Housing “L”	1			for Transom “UL”
3-2	915313-0825	ｽﾀｯﾄﾞﾎﾞﾙﾄ Stud Bolt	6			
3-3	3S7Q61110-0	ｴｸｽﾃﾝｼｮﾝﾊｳｼﾞﾝｸﾞ Extension Housing	1			
3-4	940213-0800	ﾜｯｼｬ Washer	6			
3-5	930113-0800	ﾅｯﾄ Nut	6			
3-6	3S7-60252-0	ｴｸｽﾃﾝｼｮﾝﾊﾟｲﾌﾟ Extension Pipe	1			
3-7	3S7-60251-0	ﾁｭｰﾌﾞｼﾞｮｲﾝﾄ Tube Joint	1			
3-8	345-65205-0	ｶﾗｰ、18-20-4.5 Collar, 18-20-4.5	1			
3-9	3S7-01030-0	ｻｰﾓｽﾀｯﾄ (PRV) Thermostat (PRV)	1			
3-10	3S7-66225-0	ｼﾌﾄﾛｯﾄﾞﾚﾊﾞｰ Shift Rod Lever	1			
3-11	3C8-61302-0	ﾗﾊﾞｰﾏｳﾝﾄ (ﾛﾜ) Rubber Mount (Lower)	2			

TOHATSU

TOHATSU CORPORATION
Address : 5-4,3-chome,Azusawa,Itabashi-ku,
TOKYO,174-0051 JAPAN
Phone : TOKYO (03)3966-3117
FAX : TOKYO (03)3966-2951
E-mail : www.tohatsu.co.jp

トーハツ船外機
パーツ　リスト

PARTS LIST

M 40D2
50D2

本　　社	〒174-0051	東京都板橋区小豆沢3-5-4	03（3966）3116
マリン九州	〒816-0092	福岡市博多区東那珂2-10-55	092（411）8770
マリン関西	〒530-0043	大阪市北区天満 1-8-27	06（6358）2971
マリン中部	〒440-0069	愛知県豊橋市御園町7-12	0532（54）5551
マリン関東	〒174-0051	東京都板橋区小豆沢3-5-4	03（3966）2222
マリン東北	〒981-1106	仙台市太白区柳生2-23-1	022（306）9131
マリン北海道	〒060-0031	札幌市中央区北一条東11丁目22-41	011（241）8301

002-21038-6
0607-M1000